

RC-12P2000


Order No.: 1597862



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1597862>

Crimp contact, turned, Single contact, Contact diameter: 1 mm, Crimp range: 0.14 mm²...0.56 mm²

Commercial data

EAN	 4 046356 218184
sales group	D300
Pack	100 Pcs.
Customs tariff	85389099
Gross weight in pieces	0.00018 KG
Net weight per piece	0.000177 KG
Catalog page information	Page 334 (C-2-2013)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Contact type	turned
Contact diameter	1 mm
Contact type	Male connector
Connection type	Crimp connection
Insertion/withdrawal cycles mechanical	50

Litz wire cross section min.	0.14 mm ²
Litz wire cross section max.	0.56 mm ²

Certificates / Approvals

Certification

Certifications applied for:


Certification Ex:

Accessories

Item	Designation	Description
General		
1614590	RC-Z2514	Crimping pliers for turned RC crimp contacts Ø 1 mm / Ø 1.5 mm / Ø 2 mm, litz wire cross section of 0.08 mm ² ... 2.5 mm ²

Drawings

Dimensioned drawing



RC-12P2000 Order No.: 1597862

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1597862>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;