


SF-6FS2000

Order No.: 1605566

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1605566>Crimp contact, turned, Single contact, Contact diameter: 1 mm, Crimp
range: 0.5 mm²...1.5 mm²**Commercial data**

EAN	 4 046356 174749
sales group	D300
Pack	100 Pcs.
Customs tariff	85389099
Gross weight in pieces	0.000283 KG
Net weight per piece	0.000281 KG
Catalog page information	Page 80 (PC-2011)

Product notesWEEE/RoHS-compliant since:
01/01/2003

[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Technical data**General**

Contact type	turned
Contact diameter	1 mm
Contact type	Socket
Connection type	Crimp connection
Insertion/withdrawal cycles mechanical	50

Litz wire cross section min.	0.5 mm ²
Litz wire cross section max.	1.5 mm ²

Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

SF-6FS2000 Order No.: 1605566

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1605566>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;