


**SM-36KP007**

Order No.: 1605752

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1605752>Crimp contact, turned, Single contact, Contact diameter: 3.6 mm,  
Crimp range: 6 mm<sup>2</sup>...10 mm<sup>2</sup>

Commercial data	
EAN	 4 046356 254601
Note	Made-to-order
sales group	D300
Pack	20 Pcs.
Customs tariff	85366990
Gross weight in pieces	0.00696 KG
Net weight per piece	0.00805 KG
Catalog page information	Page 385 (C-2-2013)

## Product notes

WEEE/RoHS-compliant since:  
01/01/2003

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>General</b>	
Contact type	turned
Contact diameter	3.6 mm
Contact type	Male connector
Connection type	Crimp connection
Insertion/withdrawal cycles mechanical	50
Litz wire cross section min.	6 mm <sup>2</sup>
Litz wire cross section max.	10 mm <sup>2</sup>

## Certificates / Approvals

Certification

Certifications applied for:


Certification Ex:

## Accessories

Item	Designation	Description
<b>General</b>		
1607452	SF-Z0025	Crimping pliers for turned crimp contacts $\varnothing$ 1.0 mm / $\varnothing$ 1.6 mm / $\varnothing$ 2 mm / $\varnothing$ 3.6 mm, litz wire cross section of 0.08 mm <sup>2</sup> ... 6 mm <sup>2</sup>
1607454	SF-Z0026	Crimping pliers for turned crimp contacts $\varnothing$ 2 mm / $\varnothing$ 3.6 mm, litz wire cross section of 1.5 mm <sup>2</sup> ... 10 mm <sup>2</sup>

## Drawings

Dimensioned drawing



SM-36KP007 Order No.: 1605752

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1605752>

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact  
Technical modifications reserved;