


SF-20KS010

Order No.: 1605491



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1605491>

Crimp contact, Wire spring, Single contact, Contact diameter: 2 mm, Crimp range: 0.75 mm²...2.5 mm²

Commercial data	
EAN	 4 046356 253093
Note	Made-to-order
sales group	D300
Pack	50 Pcs.
Customs tariff	85389099
Gross weight in pieces	0.001349 KG
Net weight per piece	0.001349 KG
Catalog page information	Page 80 (PC-2011)

Product notes

WEEE/RoHS-compliant since: 01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General	
Contact type	Wire spring
Contact diameter	2 mm
Contact type	Socket
Connection type	Crimp connection
Insertion/withdrawal cycles mechanical	50
Litz wire cross section min.	0.75 mm ²
Litz wire cross section max.	2.5 mm ²

Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

SF-20KS010 Order No.: 1605491

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1605491>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;