

CRIMPFOX 6S-F


Order No.: 1212043

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1212043>

Crimping pliers, for ferrules without insulating collar according to DIN 46228 Part 1 and ferrules with insulating collar according to DIN 46228 Part 4, 0.5 mm² ... 6 mm², front entry, square crimp



Commercial data

EAN	 4 046356 453875
sales group	C100
Pack	1 Pcs.
Customs tariff	82032000
Gross weight in pieces	0.4623 KG
Net weight per piece	0.44618 KG
Catalog page information	Page 393 (C-5-2013)

Product notes

WEEE/RoHS-compliant since:
09/25/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Dimensions

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm

General

Color	black
Compression	Square crimp
Type of contact	Insulated and uninsulated ferrules
Designation	Crimping position 1
Min. cross section	0.5 mm ²
Max. cross section	6 mm ²
AWG min	20
AWG max	10
Designation	Crimping position 2
	Crimping position 3
Die station	Crimping position 4
	Crimping position 5

Certificates / Approvals



Certification GOST

Certifications applied for:

Certification Ex:

Accessories


Item	Designation	Description
------	-------------	-------------

Tools

1212036	CRIMPFOX/ SPR-3	Spare recuperating spring
---------	-----------------	---------------------------

Drawings

Product drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;