


# CRIMPFOX-RCI 6

Order No.: 1212057



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1212057>

Crimping pliers, for insulated cable lugs, 0.75 - 6.0 mm<sup>2</sup> (red, blue, yellow), oval crimp, symmetrical

Commercial data	
EAN	 4 046356 453929
sales group	C102
Pack	1 Pcs.
Customs tariff	82032000
Gross weight in pieces	0.6708 KG
Net weight per piece	0.09999 KG
Catalog page information	Page 399 (C-5-2013)

**Product notes**

WEEE/RoHS-compliant since:  
09/25/2008



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>Dimensions</b>	
Length (b)	256 mm
Height	68 mm
Width (a)	25 mm
<b>General</b>	
Color	black

Compression	Oval crimp
Type of contact	Insulated cable lugs
Designation	Crimping position 1
Min. cross section	0.75 mm <sup>2</sup>
Max. cross section	1.5 mm <sup>2</sup>
AWG min	20
AWG max	16
Designation	Crimping position 2
Min. cross section	1.5 mm <sup>2</sup>
Max. cross section	2.5 mm <sup>2</sup>
AWG min	16
AWG max	14
Designation	Crimping position 3
Min. cross section	2.5 mm <sup>2</sup>
Max. cross section	6 mm <sup>2</sup>
AWG min	14
AWG max	10
Die station	Crimping position 4
	Crimping position 5

### Certificates / Approvals



Certification GOST

Certifications applied for:

Certification Ex:

### Accessories

Item	Designation	Description
<b>Tools</b>		
1212058	CRIMPFOX-RCI 6/DIE	Spare die for CRIMPFOX-RCI 6
1212069	CRIMPFOX/ SPR-1	Spare recuperating spring

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact  
Technical modifications reserved;