


CRIMPFOX-SC 1,5

Order No.: 1212048

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1212048>Crimping pliers, for uninsulated slip-on sleeves 2.8, 4.8, and 6.3 mm,
0.1 - 1.5 mm², B crimp**Commercial data**

EAN	 4 046356 453837
sales group	C101
Pack	1 Pcs.
Customs tariff	82032000
Gross weight in pieces	0.4406 KG
Net weight per piece	0.4406 KG
Catalog page information	Page 404 (C-5-2013)

Product notesWEEE/RoHS-compliant since:
09/25/2008

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Dimensions**

Length (b)	198 mm
Height	59 mm
Width (a)	18 mm

General

Compression	B crimp
Type of contact	Slip-on sleeve
Designation	Crimping position 1
Min. cross section	0.1 mm ²
Max. cross section	0.5 mm ²
AWG min	26
AWG max	22
Designation	Crimping position 2
Min. cross section	0.5 mm ²
Max. cross section	1 mm ²
AWG min	22
AWG max	18
Designation	Crimping position 3
Min. cross section	0.5 mm ²
Max. cross section	1.5 mm ²
AWG min	18
AWG max	16
Die station	Crimping position 4
	Crimping position 5

Certificates / Approvals



Certification GOST

Certifications applied for:

Certification Ex:

Accessories

Item	Designation	Description
------	-------------	-------------


Tools

1212049	CRIMPFOX-SC 1,5/DIE	Spare die for CRIMPFOX-SC 1,5
---------	---------------------	-------------------------------

1212036	CRIMPFOX/ SPR-3	Spare recuperating spring
---------	-----------------	---------------------------

Drawings

Product drawing



CRIMPFOX-SC 1,5 Order No.: 1212048

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1212048>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;