


VS-PG11 (5-10)

Order No.: 1688104



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1688104>

D-SUB cap nut with line seal, for conductor diameter of 5 mm ... 10 mm, for sleeve housing VS-15-...

Commercial data	
EAN	 4 017918 182281
sales group	D500
Pack	5 Pcs.
Customs tariff	39269097
Gross weight in pieces	0.00397 KG
Net weight per piece	0.00397 KG
Catalog page information	Page 219 (C-2-2013)

Product notes

WEEE/RoHS-compliant since:
04/05/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
Dimensions	
External cable diameter	5 mm ... 10 mm
Ambient conditions	
Ambient temperature (operation)	-40 °C ... 80 °C

General

Color	gray
Type of the screw connection	Pg11
Housing material	PA
Seal material	Neoprene
Inflammability class according to UL 94	V0

Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;