


C-FC 1,5/M3

Order No.: 3240137

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=3240137>Fork-type cable lug, non-insulated, 0.5 - 1 mm², M3,5**Commercial data**

EAN	 4 046356 453547
sales group	B282
Pack	100 Pcs.
Customs tariff	85369010
Gross weight in pieces	0.000539 KG
Net weight per piece	0.000539 KG
Catalog page information	Page 458 (C-5-2013)

Product notesWEEE/RoHS-compliant since:
09/24/2008

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Dimensions**

Length (b)	16 mm
Width (a)	5.7 mm
Length of insulation sleeve (c)	4.5 mm
Inner dimension of the insulating collar (d)	1.9 mm
Inner diameter (f)	3.2 mm
Material thickness (g)	0.75 mm

Ambient conditions

Ambient temperature (operation)	110 °C
---------------------------------	--------

General

Color	silver
Stripping length	7 mm
Components	Halogen-free
Material	Copper

Certificates / Approvals


Certification

Certifications applied for:

Certification Ex:

Drawings

Dimensioned drawing



C-FC 1,5/M3 Order No.: 3240137

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=3240137>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;