


**RB UT 16-(2,5/4)**

Order No.: 3047073

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=3047073>

Reducing bridge, Number of positions: 2, Color: red

**Commercial data**

EAN	 4 046356 055864
sales group	A890
Pack	10 Pcs.
Customs tariff	85389099
Gross weight in pieces	0.00417 KG
Net weight per piece	0.004 KG
Catalog page information	Page 28 (C-3-2013)

**Product notes**WEEE/RoHS-compliant since:  
01/01/2003

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Technical data****Technical data**

Color	red
Material	PA 6.6
Number of positions	2

Inflammability class according to UL 94	V0
Maximum temperature	125 °C

### Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact  
Technical modifications reserved;