

## VC-AF

Order No.: 1852862


The illustration shows the mounting flange with panel mounting frame VC-AR1/2M



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1852862>

Panel mounting flange for screw locking, for mounting contact insert modules, for a panel thickness of 1 - 5 mm

### Commercial data

EAN	 4 017918 127183
sales group	D294
Pack	50 Pcs.
Customs tariff	85369010
Gross weight in pieces	0.005577 KG
Net weight per piece	0.005577 KG
Catalog page information	Page 25 (C-2-2013)

### Product notes

WEEE/RoHS-compliant since:  
01/01/2005



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Note	2 for every connector
------	-----------------------


#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
Ambient temperature (assembly)	-40 °C ... 70 °C

#### Material data

Inflammability class according to UL 94	V0
---	----

## Certificates / Approvals



Certification


GOST

Certifications applied for:

Certification Ex:

## Drawings

Dimensioned drawing



### Installation, panel mounting flange

A = Panel mounting base

B = Solder-in contact insert

C = Mounting flange

D = Mounting panel  $e = 1 \dots 5$  mm

E = Dimensions with EMC shield adapter mounted

VC-AF Order No.: 1852862

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1852862>

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact  
Technical modifications reserved;