



HC-B-AF-SET

Order No.: 1604638

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1604638>

Panel mounting flange for screw locking, set comprising 2 panel mounting flanges with 4 self-tapping Torx® head screws and 4 fan-type washers

Commercial data	
EAN	 4 017918 893262
sales group	D201
Pack	1 Pcs.
Customs tariff	85389099
Gross weight in pieces	0.0593 KG
Net weight per piece	0.0313 KG
Catalog page information	Page 482 (C-4-2013)

Product notesWEEE/RoHS-compliant since:
01/31/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
Ambient conditions	
Ambient temperature (operation)	-40 °C ... 125 °C
General	
Material	Zinc die-cast
Note	1 for every connector

Assembly instructions	In order to guarantee that the ground conductor contact functions even when plugged in at an angle, the two panel mounting flanges must have sufficient electrical contact with the metal mounting panel.
Connection	Minimum panel thickness of a steel sheet: 2.0 mm

Certificates / Approvals



Certification


GOST

Certifications applied for:

Certification Ex:

Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;