

VS-08-KS-H/GN

Order No.: 1654756



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1654756>

RJ45 bend protection sleeve, for pin inserts VS-08-ST-H11-RJ45 and VS-08-ST-H21-RJ45, for cable cross section up to 7 mm, color: green

Ethernet

Commercial data

EAN	 4 017918 977818
sales group	D510
Pack	5 Pcs.
Customs tariff	39269097
Gross weight in pieces	0.0022 KG
Net weight per piece	0.0022 KG
Catalog page information	Page 78 (C-2-2013)

Product notes

WEEE/RoHS-compliant since:
06/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Mechanical characteristics

External cable diameter	7 mm
Color	green

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
Degree of protection	IP20

Material data

Inflammability class according to UL 94	V0
Housing material	PA

Certificates / Approvals

Certification

Certifications applied for:


Certification Ex:

Accessories

Item	Designation	Description
General		
1652716	VS-08-ST-H11-RJ45	RJ45 pin insert, CAT5e, 8-pos., shielded, IDC connection method, for litz wires AWG 27 ... 26, with strain relief
1652729	VS-08-ST-H21-RJ45	RJ45 male insert, CAT6, 8-pos., shielded, IDC displacement connection, for litz wire AWG 25 ... 24 and solid wires AWG 24, with strain relief

Drawings

Dimensioned drawing



RJ45 bending protection sleeve

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;