Extract from the online catalog

HC-D STC 1,5

Order No.: 1772560



http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1772560

Rolled male contact (with BO crimp zone), for conductors with a cross section of 0.75 mm² - 1.5 mm²

Product notes

WEEE/RoHS-compliant since: 07/01/2005

http://www.download.phoenixcontact.com
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Commercial data

EAN	4 017918 037239
sales group	D090
Pack	100 Pcs.
Customs tariff	85369010
Gross weight in pieces	0.000378 KG
Net weight per piece	0.000378 KG

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C (including heating up of contacts)

General

Type	D
Color	silver

Assembly instructions	Not for contact inserts in the HC-D.... / HC-DD... series

Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

Accessories

Item	Designation	Description
Tools		
1772793	CRIMPFOX-1,6-ER-1,50-GH	Crimping pliers, for IBS DSUB.../C

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg,Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
http://www.phoenixcontact.com

© 2014 Phoenix Contact
Technical modifications reserved;