


VS-PPC-C1-PC-ROBK-L

Order No.: 1405293

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1405293>

Sealing plug with locking for push-pull panel mounting frame, data (VS-PPC-F1...), IP65/67 degree of protection

Commercial data	
EAN	 4 046356 420402
sales group	D512
Pack	1 Pcs.
Customs tariff	39269097
Gross weight in pieces	0.0081 KG
Net weight per piece	0.0081 KG
Catalog page information	Page 83 (C-2-2013)

Product notes

WEEE/RoHS-compliant since:
06/11/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
Mechanical characteristics	
Locking type	Push Pull
Ambient conditions	
Degree of protection	IP65/67
Material data	
Material	Plastic

Certificates / Approvals

Certification


Certifications applied for:

Certification Ex:

Drawings

Dimensioned drawing

Sealing plug with locking for push-pull panel mounting frame



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;