

# a YAGEO company

**Series: EMBEDDED SMT** 

#### **TECHNICAL DATA SHEET**

**Description**: 868-920MHz SMT PIFA

**PART NUMBER: W3403** 



#### Features:

- Frequency 868-920MHz
- Antenna type Folded PIFA
- Size 39 x 14.4 x 4.8 mm
- Radiation pattern Omni
- Impedance 50 Ohm
- Tape & Reel Packing
- RoHS compliant

## **Applications:**

- All Sigfox network regions
- · Suitable for SMT mounting
- Extremely robust structure using single folded sheet metal radiator
- Tunable for application using radio PCB layout slot tuning features

All dimensions are in mm

Issue: 2042

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



**Description**: 868-920MHz SMT PIFA

PART NUMBER: W3403

## **Series: EMBEDDED SMT**

#### **ELECTRICAL SPECIFICATIONS**

Antenna Type PIFA ANTENNA

Frequency 868-920MHz

Nominal Impedance 50  $\Omega$ 

Return Loss < -12dB

Radiation Pattern Omni

Gain average -1.9dBi

Efficiency average 30%

Polarization Vertical

#### **MECHANICAL SPECIFICATIONS**

Overall Size 39 x 14.4 x 4.8 mm

Weight 3 g

Antenna Material Ni-Plated Stainless Steel

### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature -30 to +85° C

Storage Temperature -30 to +85° C

RoHS Compliant Yes




**Description**: 868-920MHz SMT PIFA

**Series: EMBEDDED SMT** 

**PART NUMBER: W3403** 

#### **MECHANICAL DRAWING**



All dimensions are in mm.




**Description**: 868-920MHz SMT PIFA

**PART NUMBER: W3403** 

# Series: EMBEDDED SMT

#### **ASSEMBLY INSTRUCTIONS**



\* The 2 guiding holes on PCB must be non plated holes without any metal.

Issue: 2042




**Description**: 868-920MHz SMT PIFA

**PART NUMBER: W3403** 

# a YAGEO company Series: EMBEDDED SMT

#### **Antenna PAD LAYOUT DRAWING**



All dimensions are in mm.




a YAGEO company

**Series: EMBEDDED SMT** 

**Description**: 868-920MHz SMT PIFA

**PART NUMBER: W3403** 

#### **Antenna PAD LAYOUT DRAWING**






**Description**: 868-920MHz SMT PIFA

**Series: EMBEDDED SMT** 

**PART NUMBER: W3403** 

#### **CHARTS**






**Description**: 868-920MHz SMT PIFA

PART NUMBER: W3403

## **Series: EMBEDDED SMT**

#### **CHARTS**






**Description**: 868-920MHz SMT PIFA

PART NUMBER: W3403

## **Series: EMBEDDED SMT**

#### **CHARTS**







**Series: EMBEDDED SMT** 


a YAGEO company

#### TECHNICAL DATA SHEET

**Description**: 868-920MHz SMT PIFA

PART NUMBER: W3403

## **CHARTS**






Description: 868-920MHz SMT PIFA

**PART NUMBER: W3403** 

# a **YAGEO** company Series: EMBEDDED SMT

#### **CHARTS**

## XZ Plane






a **YAGEO** company

**Series: EMBEDDED SMT** 

**Description**: 868-920MHz SMT PIFA

**PART NUMBER: W3403** 

#### **CHARTS**





**Series: EMBEDDED SMT** 

## I WIDC

**Description**: 868-920MHz SMT PIFA

TECHNICAL DATA SHEET

PART NUMBER: W3403

### **PACKAGING**

450pcs / 13" Tape&Reel 2 Tape&Reel / Box Total 900pcs antennas / Box

P.S.: 4.4Kg/Box

#### **ASSEMBLY**

