



THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO POSITRONIC AND ITS SUBSIDIARIES. POSITRONIC BELIEVES THE DATA ON THIS DRAWING TO BE RELIABLE. SINCE THE ELECTRICAL CHARACTERISTICS OF THE COMPONENTS DESCRIBED IN THIS DRAWING ARE VARYING, POSITRONIC MAKES NO REPRESENTATION OR WARRANTY AS TO THE ACCURACY OF THE RESULTS OBTAINED OR DAMAGES INCURRED FROM USE OF SUCH INFORMATION IN WHOLE OR IN PART.




CONTACT HOLE PATTERN

DATE	REV	REVISION/RECORD	APP	DR	CK
7-11	NC	ECO 34222	COM	BS	COM

SK12445

- NOTES:
- MATERIALS AND FINISHES:  
INSULATOR: GLASS FILLED POLYESTER PER ASTM-D5927, UL 94V-0, COLOR: BLUE.  
CONTACTS: PRECISION MACHINED COPPER ALLOY WITH BERYLLIUM COPPER CLIP, GOLD FLASH OVER NICKEL PLATE.  
SHELLS: STAINLESS STEEL, PASSVATED.
  - DETAILED PRODUCT, MECHANICAL, AND ELECTRICAL INFORMATION IS AVAILABLE IN THE LATEST HIGH DENSITY D-SUB PRODUCT PUBLICATION. VISIT [CONNECTPOSITRONIC.COM/PRODUCTS/59/HIGHDENSITYD-SUBMINIATURE](http://CONNECTPOSITRONIC.COM/PRODUCTS/59/HIGHDENSITYD-SUBMINIATURE) OR [CONNECTPOSITRONIC.COM](http://CONNECTPOSITRONIC.COM).
  - DIMENSIONS ARE IN INCHES [MILLIMETERS].



**POSITRONIC INDUSTRIES INC.**  
[www.connectpositronic.com](http://www.connectpositronic.com)

FSC# 28198

DECIMAL TOL.	± 0.015 [0.38]	TITLE	DD STRIPS	SCALE	DRAWN BY	APPROVED BY
ANGULAR TOL.	± 5°	DATE	7-11-11	DRAWING NUMBER	SK12445	REV.
			DD78S3000S	B SHELLBY		
				COLE		
				NC		