





THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO POSITRONIC INDUSTRIES, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING IS EXPRESSLY AND EXCLUSIVELY FOR THE USE OF POSITRONIC INDUSTRIES, INC. MAY OTHERWISE APPEAR IN WRITING.



CONTACT HOLE PATTERN

NOTES:

1. MATERIALS AND FINISHES:

INSULATOR: GLASS FILLED POLYESTER PER ASTM D5927, UL 94V-0, BLUE COLOR.
 CONTACTS: PRECISION MACHINED COPPER ALLOY, GOLD FLASH OVER NICKEL FINISH.
 SHELLS: STEEL, ZINC PLATE WITH CHROMATE SEAL.

MOUNTING SPACERS: STEEL, ZINC PLATE WITH CHROMATE SEAL.

2. DETAILED PRODUCT, ELECTRICAL, AND MECHANICAL INFORMATION IS AVAILABLE IN THE LATEST HIGH DENSITY D-SUB PRODUCT PUBLICATION. VISIT CONNECTPOSTRONIC.COM/PRODUCTS/59/HIGHDENSITYD-SUBMINIATURE OR CONNECTPOSTRONIC.COM

3. CONNECTORS ARE COMPLIANT TO THE CURRENT ROHS DIRECTIVE.


4. DIMENSIONS ARE IN INCHES [MILLIMETERS].

DATE	REV	REVISION RECORD	APP	DR	CK
10-27	1	NC	ECO	34641	COLE LO
6-17	1	A	ECO	39827	TK BE TK

SK12841



POSITRONIC INDUSTRIES INC.
 SPRINGFIELD, MISSOURI 65801



DECIMAL TOL.
 ±0.015 [0.38]

DD SERIES

SCALE
 N.T.S.

DRAWN BY
 L. OWENS

TITLE
 DD26S3S000/AA

APPROVED BY
 COLE

DATE
 10-27-11

DRAWING NUMBER
 SK12841

ANGULAR TOL.
 ± 5°

REV.
 A