## **REVISION M**

DO NOT SCALE FROM THIS PRINT



COMPONENT

**FERRULE** 

PIN

SUB ASSEMBLY

ITEM

1

2

3

TABLE 1

**DESIGNED & DIMENSIONED** IN MILLIMETERS[INCHES]

-H

SMA-FER-001-F

SMA-PIN-001-H

SUB-SMA-P-C-F-ST-CA1

**GENDER** -P: PLUG

-C: CABLE

SMA-P-C-X-ST-CA1


**TERMINATION** -CA1: CABLE


(RG174 OR RG316) **ORIENTATION** 

-ST: STRAIGHT PLATING SPECIFICATION

-H: HEAVY GOLD 30µ" Au / 50µ" Ni MIN ON PIN 3µ" Au / 50µ" Ni MIN ON OUTER CONTACT

(SEE TABLE 1)





## NOTES:

- 1. © REPRESENTS A CRITICAL DIMENSION.
- 2. CENTER CONTACT PUSHOUT FORCE: 13.35 N [3 LB] MIN.
- 3. NOTE DELETED. 4. NOTE DELETED.
- 5. PRODUCT TO BE PACKAGED PER PACKAGING STANDARD CO-RF-WI-3040-M.
- 6. NOTE DELETED.
- 8. NOTE DELETED.

7. NOTE DELETED.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS [INCHES]. TOLERANCES ARE:

DECIMALS ANGLES .X: ±0.3 [.01] .XX: ±0.13 [.005] 5° .XXX: ±0.051 [.0020]

MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY
OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

PROPRIETARY NOTE

SHEET SCALE: 3:1

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN,

DO NOT SCALE DRAWING

SHELL, FERRULE: BRASS **CONTACT: BRASS** DIELECTRIC: PTFE **GASKET: SILICONE** 




520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com

SMA STRAIGHT CABLE PLUG, RG174 & RG316-50 OHM

SMA-P-C-X-ST-CA1

BY: R MUSSER 01/22/2008 | SHEET 1 OF 2



IN-PROCESS 1 STRIP AND TIN INNER CONDUCTOR

<u>IN-PROCESS 2</u> ADD HEAT SHRINK TUBE AND FERRULE

**IN-PROCESS 3** SOLDER SIGNAL PIN

IN-PROCESS 4 FLARE SHIELD

**IN-PROCESS 5** ADD SUB-SMA-P-C-X-ST-CA1

IN-PROCESS 6 CRIMP FERRULE (USE RF CRIMP HAND TOOL # CAT-RF-FER-01 OR EQUIVALENT) (USE .128 [ HEX DIE)

F:\DWG\MISC\MKTG\SMA-P-C-X-ST-CA1-MKT.SLDDRW



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com

SMA STRAIGHT CABLE PLUG, RG174 & RG316-50 OHM

SMA-P-C-X-ST-CA1

BY: R MUSSER 01/22/2008 SHEET 2 OF 2