BNC Plug - Elbow

multicomp PRO



Specifications:

Insulator Material

Centre Contact : Brass per JIS-C3604 : BNC Coaxial Connector Type

Body Style : Right Angle Plug


Coaxial Termination : Clamp Impedance : 50Ω Cable Type : RG-174 **Contact Plating** : Gold Frequency Max : 11GHz **Connector Mounting** : Cable **Body Plating** : Nickel Cable Diameter Max : 2.8mm Contact Resistance : 1.5mΩ DC Current Max : 1A : PTFE

Material : Brass with Silicone Gaskets

: -65°C to +165°C **Operating Temperature**

Proof Voltage : 2kV **VSWR** : 1.35 Working Voltage : 500V

Connector interface per MIL-STD-348A Part to be clean and free of burrs



Dimensions: Millimetres (Inches)

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



BNC Plug - Elbow



Specification Table

Number	Description	Material	Finish
1	Shell	Zinc	Nickel 100µ" Minimum
2	Insulation	PTFE	None
3	Gasket	Rubber	None
4	Washer	Brass	
5	Spring Washer	SK-5	Niekol 100u" Minimum
6	Washer	G Brass	Mickel 100μ" Minimum
7	Body I		
8	Centre Contact		Gold
9	Body II		
10	Nut I		Niekal 400. II Minimum
11	Chassis		Nickel 100µ" Minimum
12	Braid Clamp		
13	Gasket	Rubber	None
14	Washer	Brass Nickel	Niekal 400 J. Minimo
15	Nut II		Nickel 100µ" Minimum

Part Number Table

Description	Part Number	
Plug, BNC, Elbow, Clamp, 50R, RG174	MP-13-06-4 TGN RG174	

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

