### Plug BNC, Elbow





#### **Specifications:**

Connector Type : BNC Coaxial Body Style : Right Angle Plug

**Coaxial Termination** : Clamp Impedance : 50Ω : Brass **Contact Material** : Silver Contact Plating : 4GHz Frequency Max. : Cable Connector Mounting Cable Diameter Max. : 5mm Coaxial Type : RG58 Contact Resistance : 1.5mΩ DC Current Max.

Material : Brass with Silicone Gaskets


Operating Temperature : -65°C to +165°C

Proof Voltage : 2kV VSWR : 1.35 Working Voltage : 500V

Bodies : Brass per JIS-C3604
Centre Contact : Brass per JIS-C3604
Insulation : PTFE per ASTM D1457 and

**ASTM D1710** 


Connector interface Per Mil-Std-348A Part to be clean and free of burrs






## Plug BNC, Elbow

# multicomp PRO





Description	Material	Finish
Shell	Brass	Silver 70µ" Min.
Insulation	PTFE	None
Gasket	Silicone	Red
Washer	Brass	Nickel 100µ" Min.
Spring Washer	SK-5	
Washer	Brass	Silver 70μ" Min.
Body II		
Centre Contact		
Body II		
Nut I		
Chassis		
Braid Clamp		
Gasket	Silicone	Red
Washer	Brass	Silver 70µ" Min.
Nut II		



#### **Part Number Table**

Description	Part Number
Plug, BNC, Elbow, 50R	MP-13-06-1 TSS RG58U

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

