BNC Plug Elbow, Clamp, 75R





Specifications:

Connector Type : BNC Coaxial
Body Style : Right Angle Plug

Outer Coaxial Termination : Clamp **Inner Coaxial Termination** : Solder Impedance : 75Ω Coaxial Cable Types : RG-59 Frequency Max : 1GHz Connector Mounting : Cable Cable Diameter Max : 6.15mm Contact Resistance : 1.5mΩ DC Current Max : 1A Operating Frequency Max : 11GHz

Operating Temperature : -65°C to +165°C


Proof Voltage : 2kV
Termination Method : Clamp
VSWR : 1.35
Working Voltage : 500V

Bodies : Brass per JIS-C3604 Centre Contact : Brass per JIS-C3604

Insulation : PTFE per ASTM D1457 and ASTM D1710

Part to be clean and free of burrs

Diagram



Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



BNC Plug Elbow, Clamp, 75R



Number	Description	Material	Finish
1	Shell	Zinc	Nickel 100µ" Min.
2	Insulation	PTFE	None
3	Gasket	Rubber	
4	Washer	Brass	Nickel 100μ" Min.
5	Spring Washer	SK-5	
6	Washer	Brass	
7	Body I		
8	Centre Contact		Gold
9	Body II		Nickel 100μ" Min.
10	Nut I		
11	Chassis		
12	Braid Clamp		
13	Gasket	Rubber	None
14	Washer	Brass	Nickel 100μ" Min.
15	Nut II		

Part Number Table

Description	Part Number	
Plug, BNC, Elbow, Clamp, 75R, RG59	MP-13-06-4 TGN RG59	

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

