Texas Instruments Inc. (DUNS# 00-732-1904) Supplier Name:

Contact Info:

ti.com/support
Distribute - RoHS and IEC 62474 DB Form/Declaration Type:

05/17/2022

Details for "AM26C32CNSR"

Current Product Information

TI part number	Lead finish/Ball material	MSL rating/peak reflow	Assembly site	Package Pins	Package body size (mm)	Total device mass (mg)*
AM26C32CNSR	NIPDAU	Level-1-260C-UNLIM	TI MALAYSIA A/T	NS 16	5.3x10.3x1.95	253.3

The summary mass is a rounded value and will be within approximately +/- 10% of the detailed mass value.

Environmental Ratings Information

RoHS		REACH	Green	IEC 62474 DB	
	Yes	Yes	Yes	Yes	

Component Information

				Homogeneous Material Level		Component Level	
Component	Substance	CAS Number	Amount (mg)	Percentage %	ppm	Percentage %	ppm
Bond Wire							
Copper and Its Alloys	Copper	7440-50-8	0.12145	99.99753	999975	0.04794	479
Copper and Its Alloys	Iron	7439-89-6	0.000001	0.000823	8	0	0
Precious Metals	Silver	7440-22-4	0.000002	0.001647	16	0.000001	0
Sub-Total			0.121453	100	1000000	0.047941	479
Die Attach Adhesive							
Precious Metals	Silver	7440-22-4	0.647432	80	800000	0.25556	2556
Thermoplastics	Ероху	85954-11-6	0.161858	20	200000	0.06389	639
Sub-Total			0.80929	100	1000000	0.31945	3195
Lead Frame							
Copper and Its Alloys	Copper	7440-50-8	57.751061	97.642414	976424	22.796035	227960
Copper and Its Alloys	Iron	7439-89-6	1.264954	2.138717	21387	0.499314	4993
Copper and Its Alloys	Phosphorus	7723-14-0	0.019506	0.03298	330	0.0077	77
Other Nonferrous Metals and Alloys	Lead	7439-92-1	0.017733	0.029982	300	0.007	70
Other Nonferrous Metals and Alloys	Tin	7440-31-5	0.017733	0.029982	300	0.007	70
Zinc and Its Alloys	Zinc	7440-66-6	0.074479	0.125925	1259	0.029399	294
Sub-Total			59.145466	100	1000000	23.346447	233464
Lead Frame Plating							
Nickel and Its Alloys	Nickel	7440-02-0	4.109184	95.12	951200	1.622015	16220
Precious Metals	Gold	7440-57-5	0.033696	0.78	7800	0.013301	133
Precious Metals	Palladium	7440-05-3	0.17712	4.1	41000	0.069914	699
Sub-Total			4.32	100	1000000	1.70523	17052
Mold Compound	•	*	•				
Other Inorganic Materials	Fused Silica	60676-86-0	163.938093	88	880000	64.711165	647112
Other Plastics and Rubber	Carbon Black	1333-86-4	0.55888	0.3	3000	0.220606	2206
Other Plastics and Rubber	Organic Phosphorus	1330-78-5	1.024613	0.55	5500	0.404445	4044
Thermoplastics	Ероху	85954-11-6	20.771702	11.15	111500	8.199199	81992
Sub-Total			186.293288	100	1000000	73.535415	735354
Semiconductor Device					•	•	
Ceramics / Glass	Doped Silicon	7440-21-3	2.648691	100	1000000	1.045516	10455
Sub-Total			2.648691	100	1000000	1.045516	10455
Tatal							
Total	1		253.338188			100	1000000

The ppm calculations are at the homogeneous material level and are maximum concentration values. The ppm displayed represents the homogeneous material with the highest ppm for that substance. The amount (mg) calculations represent the maximum total amount of each substance within the component.

The ppm calculations are at the component level and are average concentration values. The amount (mg) calculations represent the average total amount of each substance within the component.

See Glossary of Terms for more details.

There is a remote possibility the Customer Part Number (CPN) your company uses could reference more than one TI part number. This is due to two or more users (EMSIs or subcontractors) using the same CPN for different TI part numbers. If this occurs, please check your Customer Part Number and cross reference it with the TI part number seen on this page.

Product Content Methodology

For an explanation of the methods used to determine material weights, See Product Content Methodology

Material Declaration Certificate for Semiconductor IC Packaged Products

TI certifies that the material content information provided by TI is representative and accurate to the best of their knowledge based on material information provided by its suppliers and their combination into finished IC packaged products. TI semiconductor products designated to be "Pb-free", "Green" or "RoHS Exempt" fully meets the latest EU RoHS Directive requirements along with other legislation as seen in the former JIG-101 list that has been transferred to the IEC 62474 database.

Important Information/Disclaimer

Tibases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. Tl and Tl suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by Tl. The material content information is

For additional information, please contact TI customer support.

Signature: (click here for a fuller statement with a signed certificate)

Name/Title: Hubie Payne, Vice President, Worldwide SC Quality For further environmental statements, please go to www.ti.com/ecoinfo Created on: 05/17/2022

ROHS: Means TI semiconductor products that are compliant with the current ROHS requirement that the maximum concentration values of the ten substances listed in ROHS Annex II do not exceed 0.1 % by weight in homogeneous materials. Where designed to be soldered at high temperatures, TI semiconductor products labeled as "RoHS Compliant" are suitable for use in specified lead-free processes. TI may also reference these types of semiconductor products as "Pb-Free." These TI semiconductor products are also fully compliant with GADSL and the IEC 62474 database for electronic requirements.

RoHS Exempt: Means TI semiconductor products that contain lead (Pb) above the RoHS Annex II threshold, but that fall within one of the specific RoHS exemptions noted above or documented in http://www.ti.com/lit/pdf/szzq088

Green: Means the content of Chlorine (CI) and Bromine (Br)-based flame retardants meet JS709B low halogen requirements of <=1 000ppm threshold; Antimony trioxide (5b203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold requirement; and Beryllium Oxide (BeO) is <=1000ppm.