Supplier Name: Contact Info: Form/Declaration Type: Created on:

Texas Instruments Inc. (DUNS# 00-732-1904) ti.com/support Distribute - RoHS and IEC 62474 DB

05/17/2022

Details for "LP2985A-18DBVR"

Current Product Information

TI part number	Lead finish/Ball material	MSL rating/peak reflow	Assembly site	Package Pins	Package body size (mm)	Total device mass (mg)*
LP2985A-18DBVR	NIPDAU	Level-1-260C-UNLIM	Ext-Mfg	DBV 5	2.9x1.6x1.45	18.3

*Total Device Mass

The summary mass is a rounded value and will be within approximately +/- 10% of the detailed mass value.

Environmental Ratings Information

RoHS	REACH	Green	IEC 62474 DB
Yes	Yes	Yes	Yes

Component Information

Component Substance CAS Number Amount (mg) Perce. Bond Wire	0.004011 99.995989 100	ppm 40 999960 1000000	Percentage % 0.000005 0.135998	ppm 0
Bond Wire October 2016 October 2016 <th>0.004011 99.995989 100</th> <th>40 999960 1000000</th> <th>0.000005 0.135998</th> <th>0</th>	0.004011 99.995989 100	40 999960 1000000	0.000005 0.135998	0
Not Categorized Proprietary Materials 0.000001 Precious Matals Gold 7440-57-5 0.024032	0.004011 99.995989 100	40 999960 1000000	0.000005	0
Precious Metals Gold 7440-57-5 0.024932	99.995989 100	999960 1000000	0.135998	
11ecious wietais 0.024532	100	1000000		1360
Sub-Total 0.024933	72.00004		0.136003	1360
Die Attach Adhesive	72 00004			
Precious Metals Silver 7440-22-4 0.168935	72.99994	729999	0.921498	9215
Thermoplastics Epoxy 85954-11-6 0.062483	27.00006	270001	0.340829	3408
Sub-Total 0.231418	100	1000000	1.262327	12623
Lead Frame				
Copper and Its Alloys Copper 7440-50-8 6.305	97	970000	34.392197	343922
Copper and its Alloys Iron 7439-89-6 0.156	2.4	24000	0.850941	8509
Copper and Its Alloys Phosphorus 7723-14-0 0.000975	0.015	150	0.005318	53
Other Nonferrous Metals and Alloys Lead 7439-92-1 0.00065	0.01	100	0.003546	35
Zinc and Its Alloys Zinc 7440-66-6 0.037375	0.575	5750	0.203871	2039
Sub-Total 6.5	100	1000000	35.455873	354559
Lead Frame Plating				
Nickel and Its Alloys Nickel 7440-02-0 0.123656	95.12	951200	0.674513	6745
Precious Metals Gold 7440-57-5 0.001014	0.78	7800	0.005531	55
Precious Metals Palladium 7440-05-3 0.00533	4.1	41000	0.029074	291
Sub-Total 0.13	100	1000000	0.709117	7091
Mold Compound				
Other Inorganic Materials Fused Silica 60676-86-0 8.988853	85.000001	850000	49.031943	490319
Other Plastics and Rubber Carbon Black 1333-86-4 0.031725	0.299997	3000	0.173052	1731
Thermoplastics Epoxy 85954-11-6 1.554543	14.700002	147000	8.479643	84796
Sub-Total 10.575121	100	1000000	57.684638	576846
Semiconductor Device				
Ceramics / Glass Doped Silicon 7440-21-3 0.871175	100	1000000	4.752042	47520
Sub-Total 0.871175	100	1000000	4.752042	47520
Total 18.332647			100	1000000

The ppm calculations are at the homogeneous material level and are maximum concentration values. The ppm displayed represents the homogeneous material with the highest ppm

for that substance. The amount (mg) calculations represent the maximum total amount of each substance within the component. The ppm calculations are at the component level and are average concentration values. The amount (mg) calculations represent the average total amount of each substance within the component. See Glossary of Terms for more details.

Important Part Information

There is a remote possibility the Customer Part Number (CPN) your company uses could reference more than one Ti part number. This is due to two or more users (EMSIs or subcontractors) using the same CPN for different Ti part numbers. If this occurs, please check your Customer Part Number and cross reference it with the TI part number seen on this page

Product Content Methodology

For an explanation of the methods used to determine material weights, See Product Content Methodology

Material Declaration Certificate for Semiconductor IC Packaged Products

TI certifies that the material content information provided by TI is representative and accurate to the best of their knowledge based on material information provided by its suppliers and their combination into finished IC packaged products. TI semiconductor products designated to be "Pb-free". "Green" or "RoHS Exempt" fully meets the latest EU RoHS Directive requirements along with other legislation as seen in the former JIG-101 list that has been transferred to the IEC 62474 database.

Important Information/Disclaimer

Ti bases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by TI. The material content information is provided by TI "as is."

For additional information, please contact TI customer support.

Signature: (click here for a fuller statement with a signed certificate)

Name/Title: Hubie Payne, Vice President, Worldwide SC Quality For further environmental statements, please go to www.ti.com/ecoinfo Created on: 05/17/2022

RoHS: Means TI semiconductor products that are compliant with the current RoHS requirement that the maximum concentration values of the ten substances listed in RoHS Annex II do not exceed 0.1 % by weight in homogeneous materials Where designed to be soldered at high temperatures, TI semiconductor products labeled as "RoHS Compliant" are suitable for use in specified lead-free processes. TI may also reference these types of semiconductor products as "Pb-Free." These TI semiconductor products are also fully compliant with GADSL and the IEC 62474 database for electronic requirements.

ROHS Exempt: Means TI semiconductor products that contain lead (Pb) above the ROHS Annex II threshold, but that fall within one of the specific ROHS exemptions noted above or documented in http://www.ti.com/lit/pdf/szzq088

Green: Means the content of Chlorine (Cl) and Bromine (Br)-based flame retardants meet JS709B low halogen requirements of <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold requirement; and Beryllium Oxide (BeO) is <=1000ppm.