

Supplier Name: Texas Instruments Inc. (DUNS# 00-732-1904)  
 Contact Info: [ti.com/support](http://ti.com/support)  
 Form/Declaration Type: Distribute - RoHS and IEC 62474 DB  
 Created on: 05/30/2022

Details for "INA216A3YFFT"

**Current Product Information**

TI part number	Lead finish/Ball material	MSL rating/peak reflow	Assembly site	Package   Pins	Package body size (mm)	Total device mass (mg)*
INA216A3YFFT	SNAGCU	Level-1-260C-UNLIM	TI PHILIPPINES CLARK A/T	YFF   4	.8x.8x.304	0.7

\*Total Device Mass  
 The summary mass is a rounded value and will be within approximately +/- 10% of the detailed mass value.

**Environmental Ratings Information**

RoHS	REACH	Green	IEC 62474 DB
Yes	Yes	Yes	Yes

**Component Information**

Component	Substance	CAS Number	Amount (mg)	Homogeneous Material Level		Component Level	
				Percentage %	ppm	Percentage %	ppm
<b>Back Side Coating</b>							
Other Inorganic Materials	Silica	7631-86-9	0.02326	55.066288	550663	3.142602	31426
Other Plastics and Rubber	Carbon Black	1333-86-4	0.000715	1.692708	16927	0.096602	966
Other Plastics and Rubber	Imidazole Derivative	288-32-4	0.000159	0.37642	3764	0.021482	215
Thermoplastics	Epoxy	85954-11-6	0.018106	42.864583	428646	2.446258	24463
Sub-Total			<b>0.04224</b>	<b>100</b>	<b>1000000</b>	<b>5.706944</b>	<b>57069</b>
<b>Semiconductor Device</b>							
Ceramics / Glass	Doped Silicon	7440-21-3	0.454323	100	1000000	61.382475	613825
Sub-Total			<b>0.454323</b>	<b>100</b>	<b>1000000</b>	<b>61.382475</b>	<b>613825</b>
<b>Solder Bump</b>							
Aluminum and Its Alloys	Aluminum	7429-90-5	0.000073	0.029969	300	0.009863	99
Copper and Its Alloys	Copper	7440-50-8	0.001462	0.600194	6002	0.197527	1975
Copper and Its Alloys	Iron	7439-89-6	0.000049	0.020116	201	0.00662	66
Other Nonferrous Metals and Alloys	Antimony	7440-36-0	0.000122	0.050085	501	0.016483	165
Other Nonferrous Metals and Alloys	Arsenic	7440-38-2	0.000073	0.029969	300	0.009863	99
Other Nonferrous Metals and Alloys	Bismuth	7440-69-9	0.000122	0.050085	501	0.016483	165
Other Nonferrous Metals and Alloys	Cadmium	7440-43-9	0.000005	0.002053	21	0.000676	7
Other Nonferrous Metals and Alloys	Tin	7440-31-5	0.23218	95.316682	953167	31.369275	313693
Precious Metals	Silver	7440-22-4	0.00095	3.900028	39000	1.283522	12835
Zinc and Its Alloys	Zinc	7440-66-6	0.000002	0.000821	8	0.00027	3
Sub-Total			<b>0.243588</b>	<b>100</b>	<b>1000000</b>	<b>32.910582</b>	<b>329106</b>
<b>Total</b>			<b>0.740151</b>			<b>100</b>	<b>1000000</b>

**Important Note**  
 The ppm calculations are at the homogeneous material level and are maximum concentration values. The ppm displayed represents the homogeneous material with the highest ppm for that substance. The amount (mg) calculations represent the maximum total amount of each substance within the component.  
 The ppm calculations are at the component level and are average concentration values. The amount (mg) calculations represent the average total amount of each substance within the component.  
[See Glossary of Terms for more details.](#)

**Important Part Information**  
 There is a remote possibility the Customer Part Number (CPN) your company uses could reference more than one TI part number. This is due to two or more users (EMSi or subcontractors) using the same CPN for different TI part numbers. If this occurs, please check your Customer Part Number and cross reference it with the TI part number seen on this page.

**Product Content Methodology**  
[For an explanation of the methods used to determine material weights, See Product Content Methodology.](#)

**Material Declaration Certificate for Semiconductor IC Packaged Products**

TI certifies that the material content information provided by TI is representative and accurate to the best of their knowledge based on material information provided by its suppliers and their combination into finished IC packaged products. TI semiconductor products designated to be "Pb-free", "Green" or "RoHS Exempt" fully meets the latest EU RoHS Directive requirements along with other legislation as seen in the former JIG-101 list that has been transferred to the IEC 62474 database.

**Important Information/Disclaimer**

TI bases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by TI. The material content information is provided by TI "as is."  
[For additional information, please contact TI customer support.](#)

Signature: [\(click here for a fuller statement with a signed certificate\)](#)

Name/Title: Hubie Payne, Vice President, Worldwide SC Quality  
 For further environmental statements, please go to [www.ti.com/ecoinfo](http://www.ti.com/ecoinfo)  
 Created on: 05/30/2022

**RoHS:** Means TI semiconductor products that are compliant with the current RoHS requirement that the maximum concentration values of the ten substances listed in RoHS Annex II do not exceed 0.1 % by weight in homogeneous materials. Where designed to be soldered at high temperatures, TI semiconductor products labeled as "RoHS Compliant" are suitable for use in specified lead-free processes. TI may also reference these types of semiconductor products as "Pb-Free." These TI semiconductor products are also fully compliant with GADSL and the IEC 62474 database for electronic requirements.

**RoHS Exempt:** Means TI semiconductor products that contain lead (Pb) above the RoHS Annex II threshold, but that fall within one of the specific RoHS exemptions noted above or documented in <http://www.ti.com/lit/pdf/szzq088>

**Green:** Means the content of Chlorine (Cl) and Bromine (Br)-based flame retardants meet JS709B low halogen requirements of <=1 000ppm threshold; Antimony trioxide (Sb2O3) contained in halogen based flame retardant materials meets the <=1 000ppm threshold requirement; and Beryllium Oxide (BeO) is <=1000ppm.