Supplier Name: Texas Instruments Inc. (DUNS# 00-732-1904)

Contact Info:

ti.com/support
Distribute - RoHS and IEC 62474 DB Form/Declaration Type:

06/02/2022 Created on:

Details for "LP38500TSX-ADJ/NOPB"

Current Product Information

TI part number	Lead finish/Ball material	MSL rating/peak reflow	Assembly site	Package Pins	Package body size (mm)	Total device mass (mg)*
LP38500TSX-ADJ/NOPB	SN	Level-3-245C-168 HR	Texas Instruments Electronics	KTT 5	10.2 x 9 x 4.5	1599.5

*Total Device Mass

The summary mass is a rounded value and will be within approximately +/- 10% of the detailed mass value.

Environmental Ratings Information

RoHS	REACH	Green	IEC 62474 DB
Exempt-7(a)	Affected	Yes	Affected

Component Information

				Homogeneous Material Level		Component Level	
Component	Substance	CAS Number	Amount (mg)	Percentage %	ppm	Percentage %	ppm
Bond Wire							
Precious Metals	Gold	7440-57-5	0.838662	100	1000000	0.052433	524
Sub-Total			0.838662	100	1000000	0.052433	524
Die Attach Adhesive							
Other Nonferrous Metals and Alloys	Lead	7439-92-1	0.766047	95.499935	954999	0.047893	479
Other Nonferrous Metals and Alloys	Tin	7440-31-5	0.016043	2.000015	20000	0.001003	10
Precious Metals	Silver	7440-22-4	0.020054	2.50005	25000	0.001254	13
Sub-Total			0.802144	100	1000000	0.05015	502
Lead Frame					•		
Copper and Its Alloys	Copper	7440-50-8	794.947566	99.60004	996000	49.700236	497002
Copper and Its Alloys	Phosphorus	7723-14-0	0.079806	0.009999	100	0.004989	50
Other Nonferrous Metals and Alloys	Tin	7440-31-5	1.19709	0.149985	1500	0.074842	748
Precious Metals	Silver	7440-22-4	1.915344	0.239976	2400	0.119748	1197
Sub-Total			798.139806	100	1000000	49.899815	498998
Lead Frame Plating	•	•	•				
Other Nonferrous Metals and Alloys	Tin	7440-31-5	6.86	100	1000000	0.428888	4289
Sub-Total			6.86	100	1000000	0.428888	4289
Mold Compound	·	•	•				
Other Inorganic Materials	Fused Silica	60676-86-0	704.648031	89	890000	44.054696	440547
Other Nonferrous Metals and Alloys	Metal Hydroxide	Trade Secret	23.752181	3	30000	1.48499	14850
Thermoplastics	Ероху	85954-11-6	63.339149	8	80000	3.959973	39600
Sub-Total			791.739361	100	1000000	49.499658	494997
Semiconductor Device							
Ceramics / Glass	Doped Silicon	7440-21-3	1.104525	100	1000000	0.069055	691
Sub-Total			1.104525	100	1000000	0.069055	691
					·		
Total			1599.484498			100	1000000

The ppm calculations are at the homogeneous material level and are maximum concentration values. The ppm displayed represents the homogeneous material with the highest ppm

To that substance. The amount (mg) calculations represent the maximum total amount of each substance within the component.

The ppm calculations are at the component level and are average concentration values. The amount (mg) calculations represent the average total amount of each substance within the component.

See Glossary of Terms for more details.

There is a remote possibility the Customer Part Number (CPN) your company uses could reference more than one TI part number. This is due to two or more users (EMSIs or subcontractors) using the same CPN for different TI part numbers. If this occurs, please check your Customer Part Number and cross reference it with the TI part number seen on this page.

Product Content Methodology

For an explanation of the methods used to determine material weights, See Product Content Methodology

Material Declaration Certificate for Semiconductor IC Packaged Products

TI certifies that the material content information provided by TI is representative and accurate to the best of their knowledge based on material information provided by its suppliers and their combination into finished IC packaged products. TI semiconductor products designated to be "Pb-free", "Green" or "RoHS Exempt" fully meets the latest EU RoHS Directive requirements along with other legislation as seen in the former JIG-101 list that has been transferred to the IEC 62474 database.

Important Information/Disclaimer

TI bases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. Ti and Ti suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by Ti. The material content information is provided by Ti "as is." For additional information, please contact Ti customer support.

Signature: (click here for a fuller statement with a signed certificate)

Name/Title: Hubie Payne, Vice President, Worldwide SC Quality For further environmental statements, please go to www.ti.com/ecoinfo Created on: 06/02/2022

RoHS: Means TI semiconductor products that are compliant with the current RoHS requirement that the maximum concentration values of the ten substances listed in RoHS Annex II do not exceed 0.1 % by weight in homogeneous materials. Where designed to be soldered at high temperatures, TI semiconductor products labeled as "RoHS Compliant" are suitable for use in specified lead-free processes. TI may also reference these types of semiconductor products as "Pb-Free." These TI semiconductor products are also fully compliant with GADSL and the IEC 62474 database for electronic requirements.

ROHS Exempt: Means TI semiconductor products that contain lead (Pb) above the RoHS Annex II threshold, but that fall within one of the specific RoHS exemptions noted above or documented in http://www.ti.com/lit/pdf/szzq088

Green: Means the content of Chlorine (CI) and Bromine (Br)-based flame retardants meet J5709B low halogen requirements of <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the contained materials me requirement; and Beryllium Oxide (BeO) is <=1000ppm.