

Supplier Name: Texas Instruments Inc. (DUNS# 00-732-1904)
 Contact Info: ti.com/support
 Form/Declaration Type: Distribute - RoHS and IEC 62474 DB
 Created on: 06/09/2022

Details for "TLV9154QDRQ1"

Current Product Information

TI part number	Lead finish/Ball material	MSL rating/peak reflow	Assembly site	Package Pins	Package body size (mm)	Total device mass (mg)*
TLV9154QDRQ1	NIPDAU	Level-1-260C-UNLIM	TI MALAYSIA A/T	D 14	8.7x3.9x1.75	171

*Total Device Mass

The summary mass is a rounded value and will be within approximately +/- 10% of the detailed mass value.

Environmental Ratings Information

RoHS	REACH	Green	IEC 62474 DB
Yes	Yes	Yes	Yes

Component Information

Component	Substance	CAS Number	Amount (mg)	Homogeneous Material Level		Component Level	
				Percentage %	ppm	Percentage %	ppm
Bond Wire							
Copper and Its Alloys	Copper	7440-50-8	0.046285	97.536562	975366	0.027065	271
Not Categorized	Proprietary Materials		0.000005	0.010537	105	0.000003	0
Precious Metals	Gold	7440-57-5	0.000024	0.050575	506	0.000014	0
Precious Metals	Palladium	7440-05-3	0.001139	2.400219	24002	0.000666	7
Precious Metals	Silver	7440-22-4	0.000001	0.002107	21	0.000001	0
Sub-Total			0.047454	100	1000000	0.027748	277
Die Attach Adhesive							
Precious Metals	Silver	7440-22-4	0.251104	80	800000	0.14683	1468
Thermoplastics	Epoxy	85954-11-6	0.062776	20	200000	0.036707	367
Sub-Total			0.31388	100	1000000	0.183537	1835
Lead Frame							
Copper and Its Alloys	Copper	7440-50-8	60.541734	97.585	975850	35.400952	354010
Copper and Its Alloys	Iron	7439-89-6	1.42692	2.3	23000	0.834372	8344
Copper and Its Alloys	Phosphorus	7723-14-0	0.009306	0.015	150	0.005442	54
Zinc and Its Alloys	Zinc	7440-66-6	0.06204	0.1	1000	0.036277	363
Sub-Total			62.04	100	1000000	36.277042	362770
Lead Frame Plating							
Nickel and Its Alloys	Nickel	7440-02-0	0.057072	95.12	951200	0.033372	334
Precious Metals	Gold	7440-57-5	0.000468	0.78	7800	0.000274	3
Precious Metals	Palladium	7440-05-3	0.00246	4.1	41000	0.001438	14
Sub-Total			0.06	100	1000000	0.035084	351
Mold Compound							
Other Inorganic Materials	Fused Silica	60676-86-0	94.625196	88.000001	880000	55.33079	553308
Other Plastics and Rubber	Carbon Black	1333-86-4	0.322586	0.3	3000	0.188628	1886
Other Plastics and Rubber	Organic Phosphorus	1330-78-5	0.591407	0.55	5500	0.345817	3458
Thermoplastics	Epoxy	85954-11-6	11.989442	11.15	111500	7.010662	70107
Sub-Total			107.528631	100	1000000	62.875898	628759
Semiconductor Device							
Ceramics / Glass	Doped Silicon	7440-21-3	1.027285	100	1000000	0.600691	6007
Sub-Total			1.027285	100	1000000	0.600691	6007
Total			171.01725			100	1000000

Important Note

The ppm calculations are at the **homogeneous material** level and are maximum concentration values. The ppm displayed represents the **homogeneous material** with the highest ppm for that substance. The amount (mg) calculations represent the maximum total amount of each substance within the component.
 The ppm calculations are at the **component** level and are average concentration values. The amount (mg) calculations represent the average total amount of each substance within the **component**.
[See Glossary of Terms for more details.](#)

Important Part Information

There is a remote possibility the Customer Part Number (CPN) your company uses could reference more than one TI part number. This is due to two or more users (EMSI's or subcontractors) using the same CPN for different TI part numbers. If this occurs, please check your Customer Part Number and cross reference it with the TI part number seen on this page.

Product Content Methodology

[For an explanation of the methods used to determine material weights, See Product Content Methodology](#)

Material Declaration Certificate for Semiconductor IC Packaged Products

TI certifies that the material content information provided by TI is representative and accurate to the best of their knowledge based on material information provided by its suppliers and their combination into finished IC packaged products. TI semiconductor products designated to be "Pb-free", "Green" or "RoHS Exempt" fully meets the latest EU RoHS Directive requirements along with other legislation as seen in the former JIG-101 list that has been transferred to the IEC 62474 database.

Important Information/Disclaimer

TI bases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by TI. The material content information is provided by TI "as is."

[For additional information, please contact TI customer support.](#)

[Signature: \(click here for a fuller statement with a signed certificate\)](#)

Name/Title: Hubie Payne, Vice President, Worldwide SC Quality
 For further environmental statements, please go to www.ti.com/eoinfo
 Created on: 06/09/2022

RoHS: Means TI semiconductor products that are compliant with the current RoHS requirement that the maximum concentration values of the ten substances listed in RoHS Annex II do not exceed 0.1 % by weight in homogeneous materials. Where designed to be soldered at high temperatures, TI semiconductor products labeled as "RoHS Compliant" are suitable for use in specified lead-free processes. TI may also reference these types of semiconductor products as "Pb-Free." These TI semiconductor products are also fully compliant with GADSL and the IEC 62474 database for electronic requirements.

RoHS Exempt: Means TI semiconductor products that contain lead (Pb) above the RoHS Annex II threshold, but that fall within one of the specific RoHS exemptions noted above or documented in <http://www.ti.com/lit/pdf/szzq088>

Green: Means the content of Chlorine (Cl) and Bromine (Br)-based flame retardants meet JS709B low halogen requirements of <=1 000ppm threshold; Antimony trioxide (Sb2O3) contained in halogen based flame retardant materials meets the <=1 000ppm threshold requirement; and Beryllium Oxide (BeO) is <=1000ppm.