Supplier Name: Texas Instruments Inc. (DUNS# 00-732-1904)

Contact Info: <u>ti.com/support</u>

Form/Declaration Type: Distribute - RoHS and IEC 62474 DB

Created on: **06/11/2022** 

### Details for "TPS71711DCKTG4"

### **Current Product Information**

TI part number	Lead finish/Ball material	MSL rating/peak reflow	Assembly site	Package   Pins	Package body size (mm)	Total device mass (mg)*
TPS71711DCKTG4	NIPDAU	Level-1-260C-UNLIM	Ext-Mfg	DCK   5	1.25x2x0.9	6.3

#### \*Total Device Mass

The summary mass is a rounded value and will be within approximately +/- 10% of the detailed mass value.

## **Environmental Ratings Information**

RoHS	REACH	Green	IEC 62474 DB
Yes	Yes	Yes	Yes

### **Component Information**

				Homogeneous Material Level		Component Level	
Component	Substance	CAS Number	Amount (mg)	Percentage %	ppm	Percentage %	ppm
Bond Wire	•	•	· ·	•			,
Precious Metals	Gold	7440-57-5	0.021233	100	1000000	0.337536	3375
Sub-Total			0.021233	100	1000000	0.337536	3375
Die Attach Adhesive		•		•			
Other Inorganic Materials	Aluminum Oxide	1344-28-1	0.021111	30	300000	0.335597	3356
Other Inorganic Materials	Silica	7631-86-9	0.003167	4.500497	45005	0.050345	503
Other Organic Materials	Chlorine	7782-50-5	0.000025	0.035527	355	0.000397	4
Thermoplastics	Ероху	85954-11-6	0.046067	65.463976	654640	0.732316	7323
Sub-Total			0.07037	100	1000000	1.118655	11187
Lead Frame		-		-			
Copper and Its Alloys	Copper	7440-50-8	2.596709	97.437486	974375	41.279273	412793
Copper and Its Alloys	Iron	7439-89-6	0.062628	2.350019	23500	0.995583	9956
Copper and Its Alloys	Phosphorus	7723-14-0	0.002199	0.082514	825	0.034957	350
Other Nonferrous Metals and Alloys	Lead	7439-92-1	0.000133	0.004991	50	0.002114	21
Other Nonferrous Metals and Alloys	Tin	7440-31-5	0.003331	0.124991	1250	0.052952	530
Sub-Total			2.665	100	1000000	42.364879	423649
Lead Frame Plating		•		-			
Nickel and Its Alloys	Nickel	7440-02-0	0.110339	95.119828	951198	1.754033	17540
Precious Metals	Gold	7440-57-5	0.000905	0.780172	7802	0.014387	144
Precious Metals	Palladium	7440-05-3	0.004756	4.1	41000	0.075605	756
Sub-Total			0.116	100	1000000	1.844025	18440
Mold Compound	•	•					
Other Inorganic Materials	Fused Silica	60676-86-0	2.787408	93.249984	932500	44.31077	443108
Other Plastics and Rubber	Carbon Black	1333-86-4	0.007473	0.250002	2500	0.118797	1188
Thermoplastics	Ероху	85954-11-6	0.194297	6.500014	65000	3.088694	30887
Sub-Total			2.989178	100	1000000	47.518261	475183
Semiconductor Device			•	•	•		
Ceramics / Glass	Doped Silicon	7440-21-3	0.428807	100	1000000	6.816644	68166
Sub-Total			0.428807	100	1000000	6.816644	68166
Total			6.290588			100	1000000

## Important Note

The ppm calculations are at the homogeneous material level and are maximum concentration values. The ppm displayed represents the homogeneous material with the highest ppm

for that substance. The amount (mg) calculations represent the maximum total amount of each substance within the component.

The ppm calculations are at the **component** level and are average concentration values. The amount (mg) calculations represent the average total amount of each substance within the **component**. See Glossary of Terms for more details.

# Important Part Information

There is a remote possibility the Customer Part Number (CPN) your company uses could reference more than one TI part number. This is due to two or more users (EMSIs or subcontractors) using the same CPN for different TI part numbers. If this occurs, please check your Customer Part Number and cross reference it with the TI part number seen on this page.

# **Product Content Methodology**

For an explanation of the methods used to determine material weights, See Product Content Methodology

# Material Declaration Certificate for Semiconductor IC Packaged Products

TI certifies that the material content information provided by TI is representative and accurate to the best of their knowledge based on material information provided by its suppliers and their combination into finished IC packaged products. TI semiconductor products designated to be "Pb-free", "Green" or "RoHS Exempt" fully meets the latest EU RoHS Directive requirements along with other legislation as seen in the former JIG-101 list that has been transferred to the IEC 62474 database.

# Important Information/Disclaimer

TI bases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by TI. The material content information is provided by TI "as is."

For additional information, please contact TI customer support.

Signature: (click here for a fuller statement with a signed certificate)

Name/Title: Hubie Payne, Vice President, Worldwide SC Quality For further environmental statements, please go to www.ti.com/ecoinfo Created on: 06/11/2022

RoHS: Means TI semiconductor products that are compliant with the current RoHS requirement that the maximum concentration values of the ten substances listed in RoHS Annex II do not exceed 0.1 % by weight in homogeneous materials. Where designed to be soldered at high temperatures, TI semiconductor products labeled as "RoHS Compliant" are suitable for use in specified lead-free processes. TI may also reference these types of semiconductor products as "Pb-Free." These TI semiconductor products are also fully compliant with GADSL and the IEC 62474 database for electronic requirements.

RoHS Exempt: Means TI semiconductor products that contain lead (Pb) above the RoHS Annex II threshold, but that fall within one of the specific RoHS exemptions noted above or documented in http://www.ti.com/lit/pdf/szzq088

Green: Means the content of Chlorine (Cl) and Bromine (Br)-based flame retardants meet JS709B low halogen requirements of <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold requirement; and Beryllium Oxide (BeO) is <=1000ppm.