Supplier Name: Texas Instruments Inc. (DUNS# 00-732-1904)

Contact Info: <u>ti.com/support</u>

Form/Declaration Type: Distribute - RoHS and IEC 62474 DB

Created on: 08/08/2022

Details for "LP5912-1.8DRVR"

Current Product Information

TI part number	Lead finish/Ball material	MSL rating/peak reflow	Assembly site	Package Pins	Package body size (mm)	Total device mass (mg)*
LP5912-1.8DRVR	NIPDAU	Level-1-260C-UNLIM	TI PHILIPPINES CLARK A/T	DRV 6	2x2x0.75	12

*Total Device Mass

The summary mass is a rounded value and will be within approximately \pm 10% of the detailed mass value.

Environmental Ratings Information

RoHS	REACH	Green	IEC 62474 DB
Yes	Yes	Yes	Yes

Component Information

				Homogeneous Material Level		Component Level		
Component	Substance	CAS Number	Amount (mg)	Percentage %	ppm	Percentage %	ppm	
Bond Wire								
Copper and Its Alloys	Copper	7440-50-8	0.011495	97.539245	975392	0.095907	959	
Not Categorized	Proprietary Materials		0.000001	0.008485	85	0.000008	0	
Precious Metals	Gold	7440-57-5	0.000006	0.050912	509	0.00005	1	
Precious Metals	Palladium	7440-05-3	0.000283	2.401358	24014	0.002361	24	
Sub-Total			0.011785	100	1000000	0.098327	983	
Die Attach Adhesive								
Precious Metals	Silver	7440-22-4	0.174989	80.000091	800001	1.460004	14600	
Thermoplastics	Ероху	85954-11-6	0.043747	19.999909	199999	0.364999	3650	
Sub-Total			0.218736	100	1000000	1.825002	18250	
Lead Frame								
Copper and Its Alloys	Copper	7440-50-8	7.02144	97.52	975200	58.582695	585827	
Copper and Its Alloys	Iron	7439-89-6	0.1656	2.3	23000	1.381667	13817	
Copper and Its Alloys	Phosphorus	7723-14-0	0.00216	0.03	300	0.018022	180	
Zinc and Its Alloys	Zinc	7440-66-6	0.0108	0.15	1500	0.090109	901	
Sub-Total			7.2	100	1000000	60.072492	600725	
Lead Frame Plating		·						
Nickel and Its Alloys	Nickel	7440-02-0	0.209264	95.12	951200	1.745974	17460	
Precious Metals	Gold	7440-57-5	0.001716	0.78	7800	0.014317	143	
Precious Metals	Palladium	7440-05-3	0.00902	4.1	41000	0.075257	753	
Sub-Total			0.22	100	1000000	1.835548	18355	
Mold Compound	•	•	•					
Other Inorganic Materials	Fused Silica	60676-86-0	3.38891	88.000002	880000	28.275038	282750	
Other Organic Materials	Chlorine	7782-50-5	0.000039	0.001013	10	0.000325	3	
Other Plastics and Rubber	Carbon Black	1333-86-4	0.011553	0.299997	3000	0.096391	964	
Thermoplastics	Ероху	85954-11-6	0.450532	11.698988	116990	3.758969	37590	
Sub-Total			3.851034	100	1000000	32.130724	321307	
Semiconductor Device			•					
Ceramics / Glass	Doped Silicon	7440-21-3	0.483964	100	1000000	4.037906	40379	
Sub-Total			0.483964	100	1000000	4.037906	40379	
Total			11.985519			100	1000000	

Important Note

The ppm calculations are at the **homogeneous material** level and are maximum concentration values. The ppm displayed represents the **homogeneous material** with the highest ppm for that substance. The amount (mg) calculations represent the maximum total amount of each substance within the component.

The ppm calculations are at the **component** level and are average concentration values. The amount (mg) calculations represent the average total amount of each substance within the **component**. See Glossary of Terms for more details.

Important Part Information

There is a remote possibility the Customer Part Number (CPN) your company uses could reference more than one TI part number. This is due to two or more users (EMSIs or subcontractors) using the same CPN for different TI part numbers. If this occurs, please check your Customer Part Number and cross reference it with the TI part number seen on this page.

Product Content Methodology

For an explanation of the methods used to determine material weights, See Product Content Methodology

Material Declaration Certificate for Semiconductor IC Packaged Products

TI certifies that the material content information provided by TI is representative and accurate to the best of their knowledge based on material information provided by its suppliers and their combination into finished IC packaged products. TI semiconductor products designated to be "Pb-free", "Green" or "RoHS Exempt" fully meets the latest EU RoHS Directive requirements along with other legislation as seen in the former JIG-101 list that has been transferred to the IEC 62474 database.

Important Information/Disclaimer

TI bases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by TI. The material content information is provided by TI "as is."

For additional information, please contact TI customer support.

Signature: (click here for a fuller statement with a signed certificate)

Name/Title: Hubie Payne, Vice President, Worldwide SC Quality For further environmental statements, please go to www.ti.com/ecoinfo Created on: 08/08/2022

RoHS: Means TI semiconductor products that are compliant with the current RoHS requirement that the maximum concentration values of the ten substances listed in RoHS Annex II do not exceed 0.1 % by weight in homogeneous materials. Where designed to be soldered at high temperatures, TI semiconductor products labeled as "RoHS Compliant" are suitable for use in specified lead-free processes. TI may also reference these types of semiconductor products as "Pb-Free." These TI semiconductor products are also fully compliant with GADSL and the IEC 62474 database for electronic requirements.

ROHS Exempt: Means TI semiconductor products that contain lead (Pb) above the ROHS Annex II threshold, but that fall within one of the specific ROHS exemptions noted above or documented in http://www.ti.com/lit/pdf/szzq088

Green: Means the content of Chlorine (CI) and Bromine (Br)-based flame retardants meet JS709B low halogen requirements of <=1 000ppm threshold; Antimony trioxide (Sb203) contained in halogen based flame retardant materials meets the <=1 000ppm threshold requirement; and Beryllium Oxide (BeO) is <=1000ppm.