

Supplier Name: **Texas Instruments Inc. (DUNS# 00-732-1904)**  
 Contact Info: [ti.com/support](http://ti.com/support)  
 Form/Declaration Type: **Distribute - RoHS and IEC 62474 DB**  
 Created on: **08/26/2022**

**Details for "TPS79318DBVR"**

**Current Product Information**

TI part number	Lead finish/Ball material	MSL rating/peak reflow	Assembly site	Package   Pins	Package body size (mm)	Total device mass (mg)*
TPS79318DBVR	NIPDAU	Level-1-260C-UNLIM	Ext-Mfg	DBV   5	2.9x1.6x1.45	18.4

**\*Total Device Mass**

The summary mass is a rounded value and will be within approximately +/- 10% of the detailed mass value.

**Environmental Ratings Information**

RoHS	REACH	Green	IEC 62474 DB
Yes	Yes	Yes	Yes

**Component Information**

Component	Substance	CAS Number	Amount (mg)	Homogeneous Material Level		Component Level	
				Percentage %	ppm	Percentage %	ppm
<b>Bond Wire</b>							
Precious Metals	Gold	7440-57-5	0.060708	100	1000000	0.329451	3295
Sub-Total			<b>0.060708</b>	<b>100</b>	<b>1000000</b>	<b>0.329451</b>	<b>3295</b>
<b>Die Attach Adhesive</b>							
Precious Metals	Silver	7440-22-4	0.187191	79.999915	799999	1.015851	10159
Thermoplastics	Epoxy	85954-11-6	0.046798	20.000085	200001	0.253964	2540
Sub-Total			<b>0.233989</b>	<b>100</b>	<b>1000000</b>	<b>1.269815</b>	<b>12698</b>
<b>Lead Frame</b>							
Copper and Its Alloys	Copper	7440-50-8	6.292686	97.41	974100	34.149248	341492
Copper and Its Alloys	Iron	7439-89-6	0.153748	2.38	23800	0.834362	8344
Copper and Its Alloys	Phosphorus	7723-14-0	0.005426	0.083994	840	0.029446	294
Zinc and Its Alloys	Zinc	7440-66-6	0.00814	0.126006	1260	0.044174	442
Sub-Total			<b>6.46</b>	<b>100</b>	<b>1000000</b>	<b>35.05723</b>	<b>350572</b>
<b>Lead Frame Plating</b>							
Nickel and Its Alloys	Nickel	7440-02-0	0.110339	95.119828	951198	0.598789	5988
Precious Metals	Gold	7440-57-5	0.000905	0.780172	7802	0.004911	49
Precious Metals	Palladium	7440-05-3	0.004756	4.1	41000	0.02581	258
Sub-Total			<b>0.116</b>	<b>100</b>	<b>1000000</b>	<b>0.629511</b>	<b>6295</b>
<b>Mold Compound</b>							
Other Inorganic Materials	Fused Silica	60676-86-0	9.328709	86	860000	50.625185	506252
Other Plastics and Rubber	Carbon Black	1333-86-4	0.054237	0.500003	5000	0.294334	2943
Thermoplastics	Epoxy	85954-11-6	1.46439	13.499997	135000	7.946975	79470
Sub-Total			<b>10.847336</b>	<b>100</b>	<b>1000000</b>	<b>58.866494</b>	<b>588665</b>
<b>Semiconductor Device</b>							
Ceramics / Glass	Doped Silicon	7440-21-3	0.708979	100	1000000	3.847498	38475
Sub-Total			<b>0.708979</b>	<b>100</b>	<b>1000000</b>	<b>3.847498</b>	<b>38475</b>
<b>Total</b>			<b>18.427012</b>			<b>100</b>	<b>1000000</b>

**Important Note**

The ppm calculations are at the **homogeneous material** level and are maximum concentration values. The ppm displayed represents the **homogeneous material** with the highest ppm for that substance. The amount (mg) calculations represent the maximum total amount of each substance within the component.  
 The ppm calculations are at the **component** level and are average concentration values. The amount (mg) calculations represent the average total amount of each substance within the **component**.  
[See Glossary of Terms for more details.](#)

**Important Part Information**

There is a remote possibility the Customer Part Number (CPN) your company uses could reference more than one TI part number. This is due to two or more users (EMSi or subcontractors) using the same CPN for different TI part numbers. If this occurs, please check your Customer Part Number and cross reference it with the TI part number seen on this page.

**Product Content Methodology**

[For an explanation of the methods used to determine material weights, See Product Content Methodology](#)

**Material Declaration Certificate for Semiconductor IC Packaged Products**

TI certifies that the material content information provided by TI is representative and accurate to the best of their knowledge based on material information provided by its suppliers and their combination into finished IC packaged products. TI semiconductor products designated to be "Pb-free", "Green" or "RoHS Exempt" fully meets the latest EU RoHS Directive requirements along with other legislation as seen in the former JIG-101 list that has been transferred to the IEC 62474 database.

**Important Information/Disclaimer**

TI bases its material content information on information provided by third-party suppliers and has taken, and continues to take, reasonably diligent steps to provide any required or available information. TI may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers may consider certain information to be proprietary, and thus certain information may not be available for release by TI. The material content information is provided by TI "as is."

[For additional information, please contact TI customer support.](#)

[Signature: \(click here for a fuller statement with a signed certificate\)](#)

Name/Title: Hubie Payne, Vice President, Worldwide SC Quality  
 For further environmental statements, please go to [www.ti.com/econfo](http://www.ti.com/econfo)  
 Created on: 08/26/2022

**RoHS:** Means TI semiconductor products that are compliant with the current RoHS requirement that the maximum concentration values of the ten substances listed in RoHS Annex II do not exceed 0.1 % by weight in homogeneous materials. Where designed to be soldered at high temperatures, TI semiconductor products labeled as "RoHS Compliant" are suitable for use in specified lead-free processes. TI may also reference these types of semiconductor products as "Pb-Free." These TI semiconductor products are also fully compliant with GADSL and the IEC 62474 database for electronic requirements.

**RoHS Exempt:** Means TI semiconductor products that contain lead (Pb) above the RoHS Annex II threshold, but that fall within one of the specific RoHS exemptions noted above or documented in <http://www.ti.com/lit/pdf/szzq088>

**Green:** Means the content of Chlorine (Cl) and Bromine (Br)-based flame retardants meet JS709B low halogen requirements of <=1 000ppm threshold; Antimony trioxide (Sb2O3) contained in halogen based flame retardant materials meets the <=1 000ppm threshold requirement; and Beryllium Oxide (BeO) is <=1000ppm.