







- | | | | | | |
|--|--|--|--|--|-------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN
M. STORRY
05-13-99 | |  Tyco Electronics Corporation
Harrisburg, PA 17105 | |
| | | CHK
E. PAULUS
06-10-99 | | | |
| DIMENSIONS:
INCHES
 | | TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± —
1 PLC ± —
2 PLC ± .010
3 PLC ± .005
4 PLC ± —
ANGLES ± — ± 1° | | NAME
PLUG ASSEMBLY, TWO ROW DUALOBE,
DUCKBILL LEADS,
PLASTIC OR METAL | |
| MATERIAL
SEE NOTES | | FINISH
SEE NOTES | | SIZE
A2 | RESTRICTED TO |
| | | WEIGHT
— | | CAGE CODE
00779 | DRAWING NO
C-1589066 |
| CUSTOMER DRAWING | | | | SCALE
8:1 | SHEET
1 OF 2 |
| | | | | REV
D | |

LOC	DIST	REVISIONS				
DF	D0	P	LTR	DESCRIPTION	DATE	DWN APVD
		D		UPDATE PER 0H2Y-0164-04	05-12-04	JDM MKS



FLEX TOP VIEW
SIZE 15 SHOWN FOR REFERENCE



FLEX BOTTOM VIEW

TYPICAL FLEX PAD LAYOUT

SIZE	A DIM MAX	D DIM	E DIM
09	.150	.0500	.0375
15	.225	.0875	.0750
25	.350	.1500	.1375
37	.500	.2250	.2125
51	.675	.3125	.3000
65	.850	.4000	.3875

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± .010

3 PLC ± .005

4 PLC ± -

ANGLES ± 1°

FINISH -

DWN M. STORRY 05-13-99

CHK E. PAULUS 06-10-99

APVD -

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

tyco Electronics

Tyco Electronics Corporation
Harrisburg, PA 17105

NAME PLUG ASSEMBLY, TWO ROW DUALOBE,
DUCKBILL LEADS,
PLASTIC OR METAL

SIZE A2

CAGE CODE 00779

DRAWING NO C=1589066

RESTRICTED TO -

SCALE 8:1

SHEET 2 OF 2

REV D

TE P/N	TE CD	Nanonics P/N	Part Description
1589066-1	1589066	STG02511378PCN	Dualobe, 2 row, gold, 25 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1589066-2	1589066	STG03711378PCN	Dualobe, 2 row, gold, 37 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1589066-3	1589066	STL00911378PC	Dualobe, 2 row, LCP, 9 position, special 11378 duckbill, plug
1589066-4	1589066	STL00911378PCN	Dualobe, 2 row, LCP, 9 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1589066-5	1589066	STL01511378PCN	Dualobe, 2 row, LCP, 15 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1589066-6	1589066	STL02511378PCN	Dualobe, 2 row, LCP, 25 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1589066-7	1589066	STL03711378PCN	Dualobe, 2 row, LCP, 37 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1589066-8	1589066	STL05111378PCN	Dualobe, 2 row, LCP, 51 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1589066-9	1589066	STL06511378PC	Dualobe, 2 row, LCP, 65 position, special 11378 duckbill, plug.
1-1589066-0	1589066	STL06511378PCN	Dualobe, 2 row, LCP, 65 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1-1589066-1	1589066	STM00911378PCN	Dualobe, 2 row, metal, 9 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1-1589066-2	1589066	STM02511378PC	Dualobe, 2 row, metal, 25 position, special 11378 duckbill, plug.
1-1589066-3	1589066	STM02511378PCN	Dualobe, 2 row, metal, 25 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1-1589066-4	1589066	STM03711378PCN	Dualobe, 2 row, metal, 37 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1-1589066-5	1589066	STM03711378PCQ	Dualobe, 2 row, metal, 37 position, special 11378 duckbill, plug, 1.2 captive jackscrews.
1-1589066-6	1589066	STM05111378PC	Dualobe, 2 row, metal, 51 position, special 11378 duckbill, plug.
1-1589066-7	1589066	STM05111378PCM	Dualobe, 2 row, metal, 65 position, special 11378 duckbill, plug, 1.0 non-captive jackscrews.
1-1589066-8	1589066	STM05111378PCN	Dualobe, 2 row, metal, 51 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
1-1589066-9	1589066	STM05111378PCQ	Dualobe, 2 row, metal, 51 position, special 11378 duckbill, plug, 1.2 captive jackscrews.
2-1589066-0	1589066	STM06511378PCN	Dualobe, 2 row, metal, 65 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
2-1589066-1	1589066	STM06511378PCQ	Dualobe, 2 row, metal, 65 position, special 11378 duckbill, plug, 1.2 captive jackscrews.
2-1589066-2	1589066	STM06511378PC	Dualobe, 2 row, metal, 65 position, special 11378 duckbill, plug.
2-1589066-3	1589066	STM01511378PCN	Dualobe, 2 row, metal, 15 position, special 11378 duckbill, plug, 1.0 captive jackscrews.
2-1589066-4	1589066	STL03711378PC	Dualobe, 2 row, LCP, 37 position, special 11378 duckbill, plug.
2-1589066-5	1589066	STM02511378PCQ	Dualobe, 2 row, metal, 25 position, special 11378 duckbill, plug, 1.2 captive jackscrews.
2-1589066-6	1589066	STM00911378PCQ	Dualobe, 2 row, metal, 9 position, special 11378 duckbill, plug, 1.2 captive jackscrews.
2-1589066-7	1589066	STM01511378PCQ	Dualobe, 2 row, metal, 15 position, special 11378 duckbill, plug, 1.2 captive jackscrews.
2-1589066-8	1589066	STL02511378PC	Dualobe, 2 row, LCP, 25 position, special 11378 duckbill, plug.