

Form Type	Distribute	Version	ersion 2.0		Ref		IPC 175	2A	Sectionals		Manufacturing Info/ Material Info		Subsectionals	D, A
					s	upplier l	nformatio	n						
Company Name	TE Connectivi		Request Document ID				Contact Name		C WU Con		tact Title	Pro	oduct Compliance	e Engineer
Company Unique ID	TE Connectivi	ty Response I	Date	2017-11-01		Contact Email		cc.wu@tycoelectronics		com				
Contact Phone N	lumber	021-332593	21			!		!						
Supplier	true					Legal S	tatement							
Acceptance	liue													
Legal Statement														
The information p way modify existi	rovided in this on the round in this of the round in the round in the round in this of the round in the round in this of the round in	document is base ecifications or ex	d upoi	n reasonab contractual	le inqui or othe	ry of our s	suppliers. ents term	This inf s betwe	formation is en TE Conr	subje nectiv	ct to change. ty (or its affilia	Thi	s information doe I companies) and	es not in any its custome
							duct	ı						
Manufacturer Item number	2232112-1	Amount		1.385		Version		-		lden	tity			
Manufacturer Item Name	FASTON 250 RECEPTACLI 18-14 AWG TPBR	Weight Uor	n	g		Mfr Site				Auth	ority			
Date		UOM		Each										
EURoHS-0508	1	oduct(s) meets EU RoHS requirement without any exemptions												
ChinaRoHS- 0508	Product(s) is e	eligible for markin	g with	the e code	under	China's M	leasures	for Adm	inistration o	f the	control of poll	utio	n by Electronic Ir	formation
EUREACH-0117		idate Substances	of Ve	ry High Co	ncern A	RE NOT	Yet Revie	ewed						
Complex Article Description	REACH Cand	idate Substances	of Ve	ry High Co					e Always ar	Artic	le are Not Ye	t Re	eviewed	
J-STD-020 MSL		Max Total a	.		Man	ufacturin	-	ation 		Wav				
Rating		Wave Time				Ramp Rate			Addi		itional Info			
Classification Temp		Max Wave Solder Time		0.0		Ramp Down Rate			Reflo		Rating			
Max Time Within 5		Psl Rating Wave				Package Designator			Size			0.0		
Time Above 217		Reflow Additional	nfo			Preheat Max Temp			Tern Allo		ninal Base /	Base Not Applicable		
Preheat Duration		bulk Solder Termination		Not Applicable		Nbr or Reflow Cycles			Terr Plat				ot Applicable	
Preheat Min Temp		Nbr of	Nbr of Instances		0		Component Temp Spike		S		Shape N		Not Applicable	
· op	1	motanoco			F	Product [•	e				<u> </u>		
Sub- Item/Material/ Substance	_evel	Name	Subs	tance gory	Subst	ance	Substar Concen		Quantity		Mass per U	nit	иом	Exemption
Sub-Item	1	250 SERIES FASTON REC							1.0		1.385		g	
	2	Brass								1.0			g	
	3	Chromium	Supp		7440-47-3		0.0010		1.0		1.385E-5		g	
Substance 3	<u>3</u> 3	Zinc	Supp		7440-66-6		28.0225		1.0		0.38811163 6.925E-4		g	
	3 3	Manganese Antimony	Supp Supp		7439-96-5 7440-36-0		0.05		1.0				g g	
Substance 3		Iron	Supp		7439-89-6		0.05		1.0		6.925E-4		g	
	3	Cobalt	Supp		7440-48-4		0.1		1.0		0.001385		g	
Substance 3	3	Copper	Supp	lier	7440-50-8		71.5		1.0		1		g	
Substance 3		Beryllium	Supp	lier	7440-41-7		0.0010		1.0		1.385E-5		g	
	3	Arsenic	Supp		7440-38-2		0.01		1.0				g	
Substance	3	Mercury		ury/Mercu mpounds	7439-97-6		5.0E-4		1.0		6.925E-6		g	
Substance 3	3	Nickel	Nicke	el .	7440-0)2-0	0.2		1.0		0.00277		g	
Substance	3	Cadmium	mium	nium/Cad bounds	7440-4	13-9	0.0050		1.0		6.925E-5		g	
	3	Lead	Lead		7439-9		0.05		1.0		6.925E-4			