

Form Type	Distribute	Version	2.0		Ref		IPC 175	2A	Sectionals	5	Material Info	S	ubsectionals	D, A	
					S	upplier l	nformatio	n							
Company Name	TE Connectiv		Request Document ID				Contact Name		N KUNTZ	Cont	ontact Title Pi		roduct Compliance Engineer		
Company Unique ID	TE Connectivi	ity Response I	Response Date		2016-06-13		Contact Email		jp.kuntz@te.com						
Contact Phone	Number	717-986-593	32												
						Legal S	tatement								
Supplier Acceptance	true														
Legal Statemen	t														
		document is base ecifications or exi													
	1					Pro	duct								
Manufacturer Item number	2-179958-4	Amount	Amount		7300.0		Version				Identity				
Manufacturer Item Name	DYNAMIC D- 5200S REC H 4P K/Y	ISG Weight Uon	n	mg		Mfr Site			Authority		ority				
Date		UOM		Each											
EURoHS-0508	Product(s) me	ets EU RoHS rec	quirem	ent withou	t any ex	emptions									
ChinaRoHS- 0508	Product(s) is e Products	Product(s) is eligible for marking with the e code under China's Measures for Administration of the control of pollution by Electronic Information Products													
EUREACH-0615	REACH Cand	idate Substances	s of Ve	ry High Co	ncern A	RE NOT	Containe	d in the	Product Ab	ove th	ne Limits per th	he De	efinition within F	REACH	
,		T			F	Product [Disclosur	e							
Sub- Item/Material/ Substance	Level	Name		egory Substa		ance Substan Concent			Quantity		Mass per Un	nit U	IOM	Exemption	
Sub-Item	1	Polyester Compound							1.0		7300.0	m	ng		
Material	2	POLYESTER PBT							1.0		7300.0	m	ng		
Substance	3	Poly(butylene terephthalate) - ISO 1043-1 Term PBT	Supp	lier	1043-1	-PBT	66.0		1.0		4818.0		ng		
Substance	3	Contains No Reportable TE5081-2 Substances	Supp	lier	TE508 0909	1-2-	2- 0.5		1.0		36.5		ng		
Substance	3	Glass, oxide, chemicals	Supplier		65997-17-3		15.0		1.0	1095.0		m	ng		
Substance	3	Antimony oxide (Sb2O3)	Supp	lier	1309-6	64-4	8.0		1.0		584.0	m	ng		
Substance	3	Carbon black	Supp	lier	1333-8	6-4	0.5		1.0		36.5	m	ng		
Substance	3	Aromatic Brominated flame retardant with Antimony - ISO 1043-4 code #FR(17)	y -		1043-4	-FR17	FR17 10.0		1.0		730.0	m	ng		