



<b>Form Type</b>	Distribute	<b>Version</b>	2.0	<b>Ref</b>	IPC 1752A	<b>Sectionals</b>	Manufacturing Info/ Material Info	<b>Subsectionals</b>	D, A
<b>Supplier Information</b>									
<b>Company Name</b>	TE Connectivity	<b>Request Document ID</b>		<b>Contact Name</b>	Chan, Nelson	<b>Contact Title</b>	Global Account Manager, HKG SELL DIR-EMS		
<b>Company Unique ID</b>	TE Connectivity	<b>Response Date</b>	2017-11-08	<b>Contact Email</b>	nelson.chan@te.com				
<b>Contact Phone Number</b>	+852-2738-8751								
<b>Legal Statement</b>									
<b>Supplier Acceptance</b>	true								
<b>Legal Statement</b>									
The information provided in this document is based upon reasonable inquiry of our suppliers. This information is subject to change. This information does not in any way modify existing purchase specifications or existing contractual or other agreements terms between TE Connectivity (or its affiliated companies) and its customers.									
<b>Product</b>									
<b>Manufacturer Item number</b>	1217125-1	<b>Amount</b>	709.3	<b>Version</b>	-	<b>Identity</b>			
<b>Manufacturer Item Name</b>	FASTON 250 PCB TAB TPBR	<b>Weight Uom</b>	mg	<b>Mfr Site</b>		<b>Authority</b>			
<b>Date</b>		<b>UOM</b>	Each						
<b>EUROHS-0508</b>	Product(s) meets EU RoHS requirement without any exemptions								
<b>ChinaRoHS-0508</b>	Product(s) is eligible for marking with the e code under China's Measures for Administration of the control of pollution by Electronic Information Products								
<b>EUREACH-0117</b>	REACH Candidate Substances of Very High Concern ARE NOT Contained in the Product Above the Limits per the Definition within REACH								
<b>Manufacturing Information</b>									
<b>J-STD-020 MSL Rating</b>		<b>Max Total a Wave Time</b>		<b>Ramp Rate</b>		<b>Wave Additional Info</b>			
<b>Classification Temp</b>		<b>Max Wave Solder Time</b>	10.0	<b>Ramp Down Rate</b>		<b>Psi Rating Reflow</b>			
<b>Max Time Within 5</b>		<b>Psi Rating Wave</b>		<b>Package Designator</b>		<b>Size</b>	0.0		
<b>Time Above 217</b>		<b>Reflow Additional Info</b>		<b>Preheat Max Temp</b>		<b>Terminal Base Alloy</b>	Not Applicable		
<b>Preheat Duration</b>		<b>bulk Solder Termination</b>	Not Applicable	<b>Nbr or Reflow Cycles</b>		<b>Terminal Plating</b>	Not Applicable		
<b>Preheat Min Temp</b>		<b>Nbr of Instances</b>	0	<b>Component Temp Spike</b>		<b>Shape</b>	Not Applicable		
<b>Product Disclosure</b>									
<b>Sub-Item/Material/Substance</b>	<b>Level</b>	<b>Name</b>	<b>Substance Category</b>	<b>Substance CAS</b>	<b>Substance Concentration</b>	<b>Quantity</b>	<b>Mass per Unit</b>	<b>UOM</b>	<b>Exemption</b>
Material	1	Tin Plate				1.0	8.0	mg	
Substance	2	Tin	Supplier	7440-31-5	99.73	1.0	7.9784	mg	
Substance	2	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	0.2	1.0	0.016	mg	
Substance	2	Lead	Lead/Lead Compounds	7439-92-1	0.07	1.0	0.0056	mg	
Material	1	Copper Plate				1.0	7.3	mg	
Substance	2	Lead	Lead/Lead Compounds	7439-92-1	0.1	1.0	0.0073	mg	
Substance	2	Copper	Supplier	7440-50-8	99.9	1.0	7.2927	mg	
Material	1	Brass				1.0	694.0	mg	
Substance	2	Chromium	Supplier	7440-47-3	0.0010	1.0	0.00694	mg	
Substance	2	Zinc	Supplier	7440-66-6	28.0225	1.0	194.47615	mg	
Substance	2	Manganese	Supplier	7439-96-5	0.05	1.0	0.347	mg	
Substance	2	Antimony	Supplier	7440-36-0	0.01	1.0	0.0694	mg	
Substance	2	Iron	Supplier	7439-89-6	0.05	1.0	0.347	mg	
Substance	2	Cobalt	Supplier	7440-48-4	0.1	1.0	0.694	mg	
Substance	2	Copper	Supplier	7440-50-8	71.5	1.0	496.21	mg	
Substance	2	Beryllium	Supplier	7440-41-7	0.0010	1.0	0.00694	mg	
Substance	2	Arsenic	Supplier	7440-38-2	0.01	1.0	0.0694	mg	
Substance	2	Mercury	Mercury/Mercury Compounds	7439-97-6	5.0E-4	1.0	0.00347	mg	
Substance	2	Nickel	Nickel	7440-02-0	0.2	1.0	1.388	mg	

Substance	2	Cadmium	Cadmium/Cadmium Compounds	7440-43-9	0.0050	1.0	0.0347	mg	
Substance	2	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	0.347	mg	