



TE Connectivity: Every Connection Counts

© 2015 TE Connectivity Ltd. family of companies. All Rights Reserved

+ CONNECTORS

TERMINALS



✓ Active

**PRODUCT DRAWING**

English

**3D PDF**

TE CONNECTIVITY (TE)

PIN, SOLID, SIZE 16, 16-20AWG, NICKEL

DEUTSCH | [Common Contact](#)

0460-202-16141

TE Internal Number: 0460-202-16141

Alias ID: \$0460-202-16141, 0460-202-16141-AS, 0460-202-16141-MS, 11810, 2203596-1, ZPF000000000121709

[Always EU RoHS/ELV Compliant](#)Terminal Style **Pin/Tab**Mating Pin Diameter **(Size 16) 1.6 mm [(Size 16) .063 in]**Terminal Transmits **0 – 24 A (Low Power)**Sealed **Yes**Seal Type **Family Seal**

Product Drawings

[CONT PIN](#)

PDF (TIFF AVAILABLE)

English

[CONT PIN](#)

PDF (TIFF AVAILABLE)

English

CAD Files

[3D PDF](#)

PDF

3D

[Customer View Model](#)

2D_DXF.ZIP

English

[Customer View Model](#)

3D_IGS.ZIP

English

[Customer View Model](#)

3D_STP.ZIP

English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealed

Yes

Primary Locking Feature	None
-------------------------	-------------

Body Features	Seal Type	Family Seal
---------------	-----------	--------------------

Contact Features	Terminal Style	Pin/Tab
	Mating Pin Diameter	(Size 16) 1.6 mm [(Size 16) .063 in]
	Interface Plating	Nickel (Ni)
	Typical Current Rating (A)	13

Termination Features	Termination Method	Solder
	Crimp Type	Radial

Usage Conditions	Operating Temperature (Max) (°C)	80, 85, 90, 100, 105, 110, 120, 125
	Operating Temperature (Max) (°F)	176, 185, 194, 212, 221, 230, 248, 257
	Operating Temperature Range	-55 – 125 °C [-67 – 257 °F]

Packaging Features	Packaging Method	Loose Piece
--------------------	------------------	--------------------

Other

Terminal Transmits

0 – 24 A (Low Power)





Product Compliance

Statement of Compliance

PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

<p>AUTOMOTIVE, TRUCK, BUS, & OFF-ROAD TERMINALS</p>  <p>SOCKET, SOLID, SIZE 16, 16-20AWG, NICKEL 0462-201-16141</p> <p>Save to List Find Similar Products</p>	<p>AUTOMOTIVE CONNECTOR LOCKS & POSITION ASSURANCE</p>  <p>WEDGE LOCK W4S-P012</p> <p>Save to List Find Similar Products</p>	<p>AUTOMOTIVE CONNECTOR LOCKS & POSITION ASSURANCE</p>  <p>WEDGE LOCK W3P-1939</p> <p>Save to List Find Similar Products</p>	<p>AUTOMOTIVE, TRUCK, BUS, & OFF-ROAD HOUSINGS</p>  <p>DT RECP ASM DT04-2P</p> <p>Save to List Find Similar Products</p>
--	--	--	---

