



18-Mar-2019

**PCN #:**E-19-003994

**Subject:**SPRING TYPE, SIDE AND TOP WIRE ENTRY TERMINAL BLOCK

**Description of Change:** Tin plating on the contact changed from matte to bright finish.

**Reason:** Product Improvement. Process improvement, to avoid plating peeling during contact bending operation.

**Key Dates:**

**Contact By Date:**20-Jun-2019

**Implementation Date:**20-Jun-2019

**Product Affected**

1-1986774-2

2-1986712-5

1986712-7

1-1986712-3

1986711-4

1-1986712-6

1986711-5

1-1986711-4

1-1986711-7

1-1986711-0

1-1986711-5

1986774-6

2-1986711-1

1-1986774-0

2-1986712-0

1-1986775-0

## **Product Affected**

1-1986711-3  
1986774-7  
1-1986712-5  
1986712-4  
1986711-2  
1986774-3  
1986774-5  
2-1986712-2  
2-1986711-5  
2-1986711-3  
1-1986712-4  
1986712-8  
1-1986711-1  
1986711-9  
1986775-4  
1986775-5  
2-1986711-0  
1-1986774-1  
1-1986712-9  
2-1986712-3  
2-1986711-4  
2-1986711-2  
1986775-6  
1986775-3  
1986711-3  
1986712-6  
2-1986712-4  
1986712-9  
1-1986775-2  
1-1986712-2  
1-1986711-8  
1986712-5  
1986775-7  
1986775-9  
1986712-3  
1986775-8  
1-1986712-1  
2-1986712-1  
1986711-7  
1-1986711-2

**Product Affected**

1-1986712-0

1986774-9

1-1986711-6

1986775-2

1-1986711-9

1986711-6

2-1986711-6

1-1986712-8

2-1986711-7

1986711-8

1986774-2

1986712-2

1-1986775-1

1-1986712-7

determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.