



08-Apr-2021

PCN #:PCN-21-101654

Subject:AMPSEAL Sealed Connector System

Description of Change: The Industrial and Commercial Transportation business unit of TE Connectivity is qualifying a natural material with colorant in addition to the pre-colored material currently used for AMPSEAL plug assembly part number(s) listed below. These PNs are TE proprietary designs, therefore considered catalog/general market product. PPAP and/or sample requests must be submitted within 14 days of PCN submission via ict-ppap-request@te.com or ePPAP system. Submission will not occur without request. Customer drawing(s) are not affected.

Reason: This change is necessary since the material vendor is experiencing material supply constraints for the current pre-colored material used for plug housings. The color shade may vary slightly between new & current pre-colored material. The change doesn't impact performance. **IMPORTANT:** The current and previous revisions can be used interchangeably in the field. The change is being phased in gradually and previous revision can remain stocked until use. Shipments of both configurations may be mixed.

Key Dates:

Contact By Date:12-Apr-2021

Implementation Date:12-Apr-2021

Product Affected **Alias Part Number**

776273-2

776286-2

770680-4

776273-4

776164-2

776164-4

776286-1

Product Affected	Alias Part Number
776164-1	
770680-1	
776273-1	
770680-2	
770680-3	

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from

such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.

Alert document created by IHS Markit based on content provided by TE Connectivity.