



05-May-2021

PCN #:E-21-004947

Subject:CPC Connectors

Description of Change: Delete the existing AMP logo molded into the housing. Add a molded TE logo close to the molded part number where possible. The molded TE logo and molded part number may be located on any flange edge of receptacles or body of plugs.

Reason: Product Improvement. Change brand marking from AMP to TE. TE considers this a form change because the logos are external visible features of the parts.

Key Dates:

Contact By Date:10-Nov-2021

Implementation Date:10-Nov-2021

Product Affected	Alias Part Number
206151-4	
207486-5	
211769-2	
206151-2	
211401-8	
206137-1	
206306-1	
206613-5	
796271-1	
206037-2	
796287-1	
796435-1	
211401-4	
788155-2	

Product Affected	Alias Part Number
206613-1	
211769-3	
788159-2	
206425-5	
211769-4	
207486-1	"402697510"
206425-1	"4-40001-7431"
206430-1	
206151-3	
211401-7	
211401-3	
206137-2	
206044-1	
796274-1	
206306-3	
206037-3	
211401-2	
206151-8	
1-206613-0	
211769-1	
206705-2	"195902-000", "AMPS-0-0206705-2"
206306-2	
1-796433-1	
206306-5	
206430-2	"5011473", "CL0834-000", "JOR-06588"
206430-4	
207486-2	
206037-1	"A33294-000", "AMPS-0-0206037-1"
796274-2	
206151-1	
788159-1	
206705-4	
206613-3	
206137-5	
1-207486-2	
206430-3	
1-796435-2	
211769-5	
206705-3	
206306-4	

Product Affected	Alias Part Number
206037-4	
1776903-1	
206425-2	
206705-1	"683370-000", "AMPS-0-0206705-1"
211401-1	

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.

Alert document created by IHS Markit based on content provided by TE Connectivity.