

09-Jul-2021 **PCN** #:P-21-021174

**Subject:**MQS SEALING

**Description of Change:** Dear Customer, we hereby inform you about a duplication of a molding tool for TE component part number 963143-1 "MQS BLINDSTOPFEN". Tool build outside supplier at EMEA and serial production at TE San Salvo.

**Reason:** Product improvement. As a result of our continuous strive for capacity increase of our production, we hereby inform you upfront about a new tool 21-1959174, which is under construction in order to meet all specification requirements to cover increasing market demand and which will run in addition to the current one.

**Key Dates:** 

Contact By Date: 13-Apr-2022

**Implementation Date:**13-Apr-2022

## Product Affected Alias Part Number

2377698-4

2377168-4

1-2377698-3

9-2338519-1

2377698-1

2377168-2

2337472-1

9-2347324-1

2377168-6

9-2326808-1

1-2377698-4

2377168-5

## **Product Affected**

## **Alias Part Number**

9-2326811-1

2377168-3

963143-1

1-2377168-5

1-2209998-3

1-2377698-6

9-2329514-1

2336454-1

9-2297081-1

1-2377168-2

9-2327420-1

1-2377168-1

2377698-2

9-2327467-1

9-2357949-1

9-2316857-2

2377168-1

2337474-1

2377698-3

2377698-5

5-963143-1

9-2329372-1

2377698-6

9-2329511-1

1-2377168-4

2297081-1

1-2377698-2

2330098-1

1-2377168-6

1-2377168-3

1-2377698-1

1-2377698-5

9-2329513-1

9-2330098-1

9-2326958-1

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.

Alert document created by IHS Markit based on content provided by TE Connectivity.