



✓ Active

↓ **PRODUCT DRAWING**  
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

## 2mm CT MT REC ASSY 3P GRAY

[AMP CT](#) | [AMP CT](#)

2-179694-3

TE Internal Number: 2-179694-3

Always EU RoHS/ELV Compliant

Centerline (mm) **2**

Number of Positions **3**

Number of Rows **1**

Mating Retention **Without**

### Product Drawings

[Mt Rece Hsg Assy](#)

PDF (**TIFF AVAILABLE**)  
English

[Mt Rece Hsg Assy](#)

PDF (**TIFF AVAILABLE**)  
English

### CAD Files

[Customer View Model](#)

3D\_IGS.ZIP  
English

[Customer View Model](#)

3D\_STP.ZIP  
English

[Customer View Model](#)

2D\_DXF.ZIP  
English

[3D PDF](#)

PDF  
English

### Catalog Pages/Data Sheets

[POWER\\_CONNECTORS\\_CATALOG\\_SEC02\\_CABLE\\_MOUNTED](#)

PDF  
English

### Product Specifications

#### Product Specification

[AMP Common Termination \(CT\), Conn, 2mm Pitch, M/T Type](#)

PDF  
English

[AMP COMMON TERMINATION \(CT\), CONNECTOR, 2mm PITCH, M/T TYPE, LEAD FREE VERSION](#)

TIF  
Japanese

[AMP COMMON TERMINATION \(CT\), CONNECTOR, 2mm PITCH, M/T TYPE, LEAD FREE VERSION](#)

PDF  
Japanese

#### Application Specification

[AMP Common Termination \(CT\) Connector Termination Of 2mm Pitch MT](#)

---

## Product Environmental Compliance

TE Material Declaration

[MD\\_2-179694-3\\_10082011713](#)PDF  
English





Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Receptacle
Configuration Features	Number of Positions	3
	Number of Rows	1
Termination Features	Termination Method to Wire/Cable	Insulation Displacement Crimp (IDC)
Mechanical Attachment	Mating Retention	Without
	Mating Alignment	With
Housing Features	Centerline (mm)	2
	Housing Material	PBT GF

Product Compliance

[Statement of Compliance](#)  
PDF[VIEW ALL PRODUCT COMPLIANCE](#)

## CUSTOMERS ALSO BOUGHT

WIRE-TO-BOARD HEADERS & RECEPTACLES	WIRE-TO-BOARD HEADERS & RECEPTACLES	WIRE-TO-BOARD HEADERS & RECEPTACLES	CRIMP RINGS & SPADES
			
04 MTE HDR SRST LATCH W/HLDWN 5-103669-3	CT P/HDR ASSY BOX V 3P W/O KIN 292133-3	CT BOX HDR H SMT 3P O/TAPE BLA 2-292173-3	RING 18-14 0245SSTL 63602-1
<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>	<a href="#">Save to List</a> <a href="#">Find Similar Products</a>

Relation Type

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products

PRODUCT - MATING PRODUCTS



Connectors - W-T-B Headers & Receptacles  
AMP CT | AMP CT

CT BOX HDR H SMT 3P  
O/TAPE BLA - 292173-3  
TE INTERNAL NUMBER: 292173-3

Active

Always EU RoHS/ELV Compliant

Centerline 2 mm

Number of Positions 3

PCB Mounting Orientation Right  
Angle

PCB Mounting Style Surface  
Mount

Number of Rows 1

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products

PRODUCT - MATING PRODUCTS



Connectors - W-T-B Headers & Receptacles  
AMP CT | AMP CT

CT POST HDR ASSY 3P  
IN-TUBE BL - 292171-3  
TE INTERNAL NUMBER: 292171-3

Active

Always EU RoHS/ELV Compliant

Centerline 2 mm

Number of Positions 3

PCB Mounting Orientation  
Vertical

PCB Mounting Style Surface  
Mount

Number of Rows 1

RELATIONSHIP

Mating Products

Used to identify Mating Parts

See All Mating Products

PRODUCT - MATING PRODUCTS



Connectors - W-T-B Headers & Receptacles  
AMP CT | AMP CT

CT CONN MT HDR ASSY  
H 3P NAT - 292253-3  
TE INTERNAL NUMBER: 292253-3

Active

Always EU RoHS/ELV Compliant

Centerline 2 mm

Number of Positions 3

PCB Mounting Orientation Right  
Angle

PCB Mounting Style Through  
Hole

Number of Rows 1

