

## **OSP CONNECTORS**



✓ Active



PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE) 4536 7341 02

MINIATURE COAX | MTE , RF

1059540-1

TE Internal Number: 1059540-1 Alias ID: 4536-7341-02

Always EU RoHS/ELV Compliant

Applies To Cable

Sealed No

50 Ohm Yes

75 Ohm **No** 

Connector Style **Jack** 



**Product Drawings** 

OSP FLOATING 2 HOLE FLANGE MOUNT CABLE JACK CRIMP ATTACHMENT

PDF (TIFF AVAILABLE)

English

OSP FLOATING 2 HOLE FLANGE MOUNT CABLE JACK CRIMP ATTACHMENT

PDF (TIFF AVAILABLE)
English

**CAD Files** 

3D PDF

PDF **3D** 

**Customer View Model** 

2D DXF.ZIP English

Customer View Model

3D\_IGS.ZIP English

Customer View Model

3D\_STP.ZIP English

⊑ng⊪sn

## 1-1773725-8\_RF\_COAX\_QRG

PDF **English** 

## Instruction Sheets

Instruction Sheet (U.S.)

OSP Flange Mount Cable Jack Connector 1059540-1

PDF **English** 

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Applies To	Cable
	Sealed	No
	Connector Style	Jack
	Cable Type	RG 142, RG 223, RG 400, RG 55
	Product Type	Connector - RF
	Dielectric Material	TFE Fluorocarbon
Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance ( $\Omega$ )	50
Body Features	Body Style	Straight
	Body Material	Stainless Steel
	Body Finish	Passivated
Contact Features	Center Contact Material	Beryllium Copper
	Center Contact Plating Material	Gold
Termination Features	Cable Termination Type	Crimp
		·
Mechanical Attachment	Panel Mount	With
	Panel Mount Retention Type	Floating Flange
	Panel Attachment Style	Rear Mount
Dimensions	Panel Thickness	3.18 mm [ .125 in ]
Product Compliance	Statement of Compliance	

**Product Compliance** 

Statement of Compliance

PDF

.....

