

## **CRIMP RINGS & SPADES**





✓ Active



PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)

TERMINAL, SOLIS R 16-14 10

SOLISTRAND | SOLISTRAND

34123

TE Internal Number: 34123

Always EU RoHS/ELV Compliant

Terminal Shape Ring Tongue

Stud Diameter 5 mm [.197 in]

Sealed No

Heavy Duty No

Wire Size (AWG) 16

**Product Drawings** 

TERMINAL, RING TONGUE, SOLISTRAND

PDF **English** 

CAD Files

3D PDF

PDF **English** 

Customer View Model

2D\_DXF.ZIP English

Customer View Model

3D\_IGS.ZIP English

Customer View Model

3D\_STP.ZIP English

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

**Product Type Features** 

Sealed

No

Barrel Type

**Closed Barrel** 

Wire/Cable Type

Regular Wire

Insulated

No

Insulated Wire Support

modiated vine support

No

Stud Size

10

Shape Code

RING-048

Wire/Cable Composition

**Solid or Stranded** 

Configuration Features	Number of Holes	1
Body Features	Plating Material  Plating Thickness (µin)  Inspection Slot	Copper, Tin 100 No
Contact Features	Terminal Shape  Terminal Orientation	Ring Tongue Straight
Dimensions	Stud Diameter  Wire Size (AWG)  Wire Size (mm²)  Wire Size (CMA)  Barrel Inside Diameter  Material Thickness  Overall Length  Barrel Inside Diameter (Min)	5 mm [.197 in]  16  1.25 - 2  2050 - 5180  2.16 mm [.085 in]  .79 mm [.0311 in]  16.15 mm [.636 in]  2.16 mm [.085 in]
Usage Conditions	Operating Temperature Range (°C)	170
Operation/Application	Heavy Duty	No
Industry Standards	Government Qualified	No
Packaging Features	Packaging Method Packaging Quantity	Loose Piece
Product Compliance	Statement of Compliance	

## **CUSTOMERS ALSO BOUGHT**

CRIMP QUICK DISCONNECTS	CRIMP RINGS & SPADES	FOIL TERMINALS

VIEW ALL PRODUCT COMPLIANCE

