



RELAYS, CONTACTORS & SWITCHES

PUSHBUTTON SWITCHES



Active

PRODUCT DRAWING
English

TE CONNECTIVITY (TE) APA1FGRA04

Alcoswitch | APA

1825174-3
TE Internal Number: 1825174-3
Alias ID: APA1FGRA04

- Always EU RoHS/ELV Compliant
- Configuration (Pole-Throw) **Single Pole - Double Throw**
- Number of Actuators **Single**
- Actuator Profile **Extended**
- Illuminated **No**
- Process Sealed **No**



Product Drawings

- SWITCH, PUSHBUTTON, APA SERIES, RA TERMINALS, 1 POLE
PDF (TIFF AVAILABLE)
English
- SWITCH, PUSHBUTTON, APA SERIES, RA TERMINALS, 1 POLE
PDF (TIFF AVAILABLE)
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Illuminated	No
	Actuator Style	Round
	Dust Proof	No
	Product Type	Switch
	Switch Type	Pushbutton

Configuration Features	Configuration (Pole-Throw)	Single Pole - Double Throw
	Number of Actuators	Single
	Snap Action	Without
	Support Bracket	Without
	Tactile	No
	Operating Function	Momentary
	ESD Grounding Terminal	Without
	Ganged	No
Electrical Characteristics	Voltage Rating (VDC)	48
Body Features	Actuator Profile	Extended
	Actuator Color	Black
	Actuator Material	Polyester
	Case Material	Polyester
Contact Features	Contact Current Rating (A)	.05
	Contact Plating	Gold over Nickel
	Contact Base Material	Phosphor Bronze
Termination Features	Termination Type	Printed Circuit
Mechanical Attachment	Mounting Type	Through Hole
	Mounting Angle	Right Angle
Housing Features	Process Sealed	No
	Low Profile	No
Dimensions	Button Width	2.463 mm [.097 in]
	Actuator Length	3.05 mm [.12 in]
Usage Conditions	Temperature Rating	Standard
Packaging Features	Packaging Method	Bulk

[VIEW ALL PRODUCT COMPLIANCE](#)

