



BNC CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE) BNC PLUG, PTFE AMP

2-331350-1
TE Internal Number: 2-331350-1
Mil-Spec: M39012/16B0004

Always EU RoHS/ELV Compliant

Applies To **Coaxial Cable**

Panel Mount Retention **Without**

PCB Mount Retention **Without**

Body Material **Brass**

Body Plating Material **Silver**

Product Drawings

[PLUG, DUAL CRIMP, SERIES BNC](#)

PDF
English

CAD Files

[3D PDF](#)
PDF
3D

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_GS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Instruction Sheets

Instruction Sheet (U.S.)

[COAXICON 50-Ohm RF Series BNC Plug Connectors 225395-\(\), 225886-\(\), And 331350-\(\)](#)

TIF
English

[COAXICON 50-Ohm RF Series BNC Plug Connectors 225395-\(\), 225886-\(\), And 331350-\(\)](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Applies To

Coaxial Cable

Sealed

No

RF Connector Type	BNC
Connector Style	Plug
Cable Type	RG 58, RG 58A, RG 58B, RG 58C
Dielectric Material	PTFE
ESD Protection	Without
Isolated Ground	No
Grade	Military
Product Type	Connector - RF

Configuration Features	Solder Terminal	Without
	Number of Ports	1

Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50

Body Features	Body Material	Brass
	Body Plating Material	Silver
	Body Style	Straight
	Body Insulation	Without
	Body Shape	Circular

Contact Features	Center Contact Material	Brass
	Center Contact Plating Material	Gold













Termination Features	Cable Termination Type	Crimp
	Crimp Type	Dual

Mechanical Attachment	Panel Mount Retention	Without
	PCB Mount Retention	Without
	Panel Mount	Without
	Polarized	No
	Coupling Nut Material	Brass
	Hardware Included	No

Packaging Features	Packaging Method	Package
--------------------	------------------	----------------

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

	CRIMP QUICK DISCONNECTS	HOOK UP WIRE	POWER CONTACTS
			
RD16A18-23-S6CS051/2 RD16A18-23-S6CS051/2	ULTRAFAST 187 ASSY TAB 22-18 AWG TPBR 2-521360-2	81044/9-16-9 81044/9-16-9	CONTACT, PIN, #8 1766192-1
 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products