



CRIMP RINGS & SPADES



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE) TERMINAL R PG 6 3/8 PLASTI-GRIP

52264-1
TE Internal Number: 52264-1
Alias ID: AMPS-0-0052264-1, CN2891-000

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter (mm) **9.53, 9.91**

Stud Diameter (in) **.39**

Tongue Thickness **1.14 mm [.045 in]**

Sealed **No**

Heavy Duty **No**

Product Drawings

[TERMINAL, RING TONGUE, PLASTI-GRIP, WIRE SIZE, 6 AWG](#)
PDF
English

CAD Files

[Customer View Model](#)
3D_IGS.ZIP
English

[Customer View Model](#)
3D_STP.ZIP
English

[Customer View Model](#)
2D_DXF.ZIP
English

[3D PDF](#)
PDF
English

Catalog Pages/Data Sheets

[PLASTI GRIP_QRG](#)
PDF
English

Product Specifications

Application Specification

[PLASTI-GRIP Terminals And Splices](#)
PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

[PLASTI-GRIP Pressure Type Straight And 90-Degree Bent Terminals \(Use Tooling For AMPLI-BOND Connectors\)](#)
PDF
English

Product Type Features	Sealed	No
	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	Yes
	Insulated Wire Support	Yes
	Support Style	Insulation Support
	Stud Size	3/8
	Shape Code	RING-044
	Barrel Style	Standard
Wire/Cable Composition	Stranded	
Configuration Features	Terminal Angle	Straight
	Number of Holes	1
Electrical Characteristics	Voltage (Max) (V)	600
Body Features	Plating Material	Copper, Tin
	Insulation Material	Vinyl
	Inspection Slot	No
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter (mm)	9.53, 9.91
	Stud Diameter (in)	.39
	Tongue Thickness	1.14 mm [.045 in]
	Wire Insulation Diameter (Max)	11.43 mm [.45 in]
	Wire Size (AWG)	6
	Wire Size (mm ²)	13 – 15
	Wire Size (CMA)	20800 – 33100
	Barrel Inside Diameter (in)	.45
	Overall Length (in)	1.906
Usage Conditions	Operating Temperature Range (°C)	90
Operation/Application	Usage Data	No













Operation/Application	Heavy Duty	NO
Industry Standards	Government Qualified	No
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	100
Other	Barrel Color	Blue

Product Compliance

[Statement of Compliance PDF](#)

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

CRIMP RINGS & SPADES	CRIMP RINGS & SPADES	CRIMP RINGS & SPADES	STANDARD CIRCULAR I/O CONNECTORS
			
<p>TERMINAL, PG R 16-14 3/8 2-34164-2</p>	<p>TERMINAL, PG SPR SPD 12-10 8 53247-2</p>	<p>TERMINAL, PI FLAG R 16-14HD 14 322313</p>	<p>HERM RECP DTS24N13-35PN</p>
<p> Save to List</p> <p> Find Similar Products</p>	<p> Save to List</p> <p> Find Similar Products</p>	<p> Save to List</p> <p> Find Similar Products</p>	<p> Save to List</p> <p> Find Similar Products</p>