



BNC CONNECTORS



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

JACK,R/A,PCB,75 OHM,BNC OCM

6274425-2

TE Internal Number: 6274425-2

Always EU RoHS/ELV Compliant

Applies To **Printed Circuit Board**

Panel Mount Retention **With**

Panel Mount Retention Type **Lockwasher and Nut**

PCB Mount Retention **With**

PCB Termination Method **Hold-Down Posts**

Product Drawings

[JACK, RIGHT ANGLE, 75 OHM, PCB, BNC](#)
PDF (TIFF AVAILABLE)
English

[JACK, RIGHT ANGLE, 75 OHM, PCB, BNC](#)
PDF (TIFF AVAILABLE)
English

CAD Files

[Customer View Model](#)
2D_DXF.ZIP
English

[3D PDF](#)
PDF
3D

[Customer View Model](#)
3D_IGS.ZIP
English

[Customer View Model](#)
3D_STP.ZIP
English

Catalog Pages/Data Sheets

[BNC Connectors](#)
PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Applies To	Printed Circuit Board
Sealed	No
RF Connector Type	BNC
Connector Style	Jack









	PCB Mounting Orientation	Right Angle
	Dielectric Material	PTFE
	ESD Protection	Without
	Isolated Ground	No
	Grade	Commercial
	Product Type	Connector - RF
Configuration Features	Solder Terminal	Without
	Number of Ports	1
Electrical Characteristics	50 Ohm	No
	75 Ohm	Yes
	Impedance (Ω)	75
Body Features	Body Material	Zinc
	Body Plating Material	Tin
	Body Insulation	Without
Contact Features	Center Contact Material	Beryllium Copper
	Center Contact Length	4.34 mm [.171 in]
	Center Contact Plating Material	Gold
	Center Contact Plating Thickness (μin)	30
Termination Features	PCB Termination Method	Hold-Down Posts
Mechanical Attachment	Panel Mount Retention	With
	Panel Mount Retention Type	Lockwasher and Nut
	PCB Mount Retention	With
	Polarized	No
	Mounting Post Length	4.34 mm [.171 in]
	Mounting Post Style	Standard
	Panel Attachment Style	Rear Mount
	Hardware Included	No
Dimensions	Height above PCB	10.97 mm [.432 in]

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

SURFACE MOUNT RESISTORS	PCI & PCI EXPRESS CONNECTORS	WIRE-TO-BOARD HEADERS & RECEPTACLES	SIMM SOCKETS
CPF 0603 9K76 1% 50PPM 1K RL CPF0603F9K76C1	PCI EXP 3.1L 36 POS BLK 30u" 6-1734774-7	09P MTA100 CONN ASSY POL RIB 643813-9	SIMM II, .250"H, .050CL, 72P, SN 7-5382486-2
 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products	 Save to List  Find Similar Products