




## TACTILE SWITCHES



✓ Active

↓ **PRODUCT DRAWING**  
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

### FSMRA5JH04=R/A,TACT PB SW,160G

[Alcoswitch](#) | [FSMRAJ](#)

1-1825027-4

TE Internal Number: 1-1825027-4

Alias ID: FSMRA5JH

[Always EU RoHS/ELV Compliant](#)

Actuator Style **Round**

Operating Function **No**

Contact Base Material **Copper Alloy**

Contact Plating **Silver**

Dust Proof **No**

#### Product Drawings

#### [MICRO-MINIATURE PUSHBUTTON SWITCH](#)

PDF  
English

#### CAD Files

#### [Customer View Model](#)

3D\_IGS.ZIP  
English

#### [Customer View Model](#)

3D\_STP.ZIP  
English

#### [Customer View Model](#)

2D\_DXF.ZIP  
English

#### [3D PDF](#)

PDF  
English

#### Catalog Pages/Data Sheets

#### [SWITCHES\\_CORE\\_PROGRAM\\_CATALOG](#)

PDF  
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

#### Product Type Features

Actuator Style	<b>Round</b>
Dust Proof	<b>No</b>
Illuminated	<b>With</b>
Leg Style	<b>Kinked</b>
Product Type	<b>Switch</b>

Configuration Features	Operating Function	<b>No</b>
	Support Bracket	<b>With</b>
	Configuration (Pole-Throw)	<b>Single Pole - Single Throw</b>
	Number of Actuators	<b>1</b>
	Ganged	<b>With</b>
	ESD Grounding Terminal	<b>Without</b>
	Tactile	<b>Yes</b>
	Snap Action	<b>Without</b>
	Tactile Feel	<b>With</b>
Body Features	Actuator Color	<b>Ivory</b>
	Bushing Style	<b>Unthreaded</b>
	Actuator Material	<b>PBT</b>
	Actuator Force	<b>160 g [ 5.648 oz ]</b>
	Actuator Profile	<b>Extended</b>
	Case Material	<b>Nylon</b>
	Case Color	<b>Black</b>
Contact Features	Contact Base Material	<b>Copper Alloy</b>
	Contact Plating	<b>Silver</b>
	Contact Current Rating (mA)	<b>50</b>
Termination Features	Termination Type	<b>Printed Circuit Board</b>
Mechanical Attachment	Mounting Type	<b>Through Hole</b>
	Mounting Angle	<b>With</b>
Housing Features	Low Profile	<b>With</b>
	Process Sealed	<b>No</b>
Dimensions	Actuator Length	<b>3.56 mm [ .14 in ]</b>
	Switch Height	<b>7 mm [ .276 in ]</b>
	Button Width	<b>3.2 mm [ .126 in ]</b>
Usage Conditions	Temperature Rating (°C)	<b>Standard</b>

Packaging Features

Packaging Method

**Loose Piece**

---

Other

Comment

**(On) indicates momentary position.**

---

Product Compliance

[Statement of Compliance](#)  
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)