



TE Connectivity: Every Connection Counts
© 2017 TE Connectivity Ltd. family of companies. All Rights Reserved

Relays, Contactors & Switches > Relays > Mil-Aero Relays > Half-Size Relays



✓ Active

TE CONNECTIVITY (TE)
HMB1230K01L = M39016/22-005L
[CII](#) | [HMB Half-Size Relay](#)

HMB1230K01L
TE Internal Number: 2-1617038-6
Mil-Spec: M39016/22-005L

- [Not EU RoHS Compliant](#)
- [Not EU ELV Compliant](#)
- Contact Arrangement **2 Form C, DPDT, 2 C/O**
- Input Voltage (VDC) **26.5**
- Contact Current Rating (A) **2**
- Coil Voltage Rating (VDC) **26.5**
- Coil Resistance (Ω) **700**

Catalog Pages/Data Sheets

[RELAY](#)
[PDF](#)
[English](#)

Please review product documents or [contact us](#) for the latest agency approval information.

Product Type Features

MOSFET Driver	Without
Product Type	Relay

	Coil Latching	Without
	Relay Type	Military/Aerospace High Performance
	Enclosure Type	Hermetically Sealed
Configuration Features	Transistor Driver	Without
Electrical Characteristics	Coil Polarity Protection Diode	Without
	Coil Power Measurement	Milliwatts
	Coil Suppression Diode	Without
	Input Voltage (VDC)	26.5
	Coil Voltage Rating (VDC)	26.5
	Coil Resistance (Ω)	700
	Coil Power Rating (DC) (mW)	1003
	Shock	100G's, 6ms
	Vibration	30G's, 10 – 3000Hz
	Actuating System	DC
	Coil Magnetic System	Non-Polarized, Monostable
Contact Features	Contact Arrangement	2 Form C, DPDT, 2 C/O
	Contact Current Rating (A)	2
Termination Features	Termination Type	PC Pins

Mechanical Attachment	Mounting Type	Chassis Mount
Usage Conditions	Operating Temperature Range (°C)	-65 – 125
Statement of Compliance	Statement of Compliance PDF	

Compatible Products


> [Contact Product Support](#)

Also in the Series | [HMB Half-Size Relay](#)



[Half-Size Relays \(244\)](#)

Customers Also Bought



HIGH SPEED BACKPLANE CONNECTORS



HIGH SPEED BACKPLANE CONNECTORS



HIGH SPEED BACKPLANE CONNECTORS



RF CONNECTORS

