

RELY BASE MOLDING 5W POLYPROPYLENE

✓ ACTIVE

FASTIN-FASTON


TE Part # 1-626040-0

TE Internal #: 1-626040-0

[View on TE.com >](#)



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal & Splice Type: **Receptacle**
Housing Type: **Receptacle Housing**
Number of Positions: **5**
Terminal Orientation: **Straight**
Housing Color: **Natural**

Features

Product Type Features

Product Type	Terminal Housing
Housing Type	Receptacle Housing
Sealable	No
Insulated	No

Configuration Features

Number of Positions	5
---------------------	---

Body Features

Housing Color	Natural
Mating Retention	Without
Mating Alignment	With

Contact Features

Terminal & Splice Type	Receptacle
Terminal Orientation	Straight

Mechanical Attachment



Mounting Style	Free Hanging
----------------	--------------

Housing Features

Housing Material	Polypropylene
------------------	---------------

Dimensions

Length	25 mm[.984 in]
Centerline	8.8 mm, 9.5 mm[.346 in][.374 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	2100
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: DEC 2010 (44)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability






Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought

 TE Part #626437-4 ELCETRO TAP ASSY	 TE Part #880305 FF 250 HOUSING REC POLYAMIDE 6.6 NAT	 TE Part #880687-2 .140 DIA SOCKET	 TE Part #626229 8 P FASTIN-ON HOUSING REC PA66 NAT
 TE Part #626541-1 4 WAY FASTIN-ON HSG TAB NATURAL PA.66	 TE Part #880124 9 CIR PLUG 140DIA PANEL MT NAT	 TE Part #880125 9 CIR CAP 140DIA PANEL MT NAT	 TE Part #735222-2 FF 250 REC 1.0-2.5 MM2 0.32X 19.30 BR

Documents

Product Drawings
RELY BASE MOLDING 5W POLYPROPYLENE
English

CAD Files
Customer View Model
ENG_CVM_CVM_1-626040-0_N.2d_dxf.zip
English
3D PDF
3D
Customer View Model
ENG_CVM_CVM_1-626040-0_N.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_1-626040-0_N.3d_stp.zip
English