




Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal & Splice Type: **Tab**

Housing Type: **Tab Housing**

Number of Positions: **2**

Terminal Orientation: **Straight**

Housing Color: **Red**

## Features

### Product Type Features

Product Type	Terminal Housing
Terminates To	Wire & Cable
Housing Type	Tab Housing
Sealable	No
Insulated	No

### Configuration Features

Number of Positions	2
---------------------	---

### Body Features

Housing Color	Red
Mating Retention	With
Mating Alignment	With

### Contact Features

Terminal & Splice Type	Tab
Terminal Orientation	Straight

### Mechanical Attachment

Mounting Style	Free Hanging
----------------	--------------

### Housing Features

Housing Material	Polyamide
------------------	-----------

### Dimensions



Length	31.5 mm[1.24 in]
Centerline	7.4 mm[.291 in]

### Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

### Packaging Features

Packaging Quantity	3000
Packaging Method	Carton

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

### Compatible Parts

TE Part # 170349-2  
FF 250 TAB 22-20AWG  
TPBR WITHOUT LATCH

TE Part # 170340-3  
FF 250 TAB 20-14AWG  
PTBR WITHOUT LATCH

TE Part # 170340-1  
FF 250 TAB 20-14AWG BR  
WITHOUT LATCH

TE Part # 170349-1  
FF 250 TAB 22-20AWG BR  
WITHOUT LATCH

Also in the Series | **FASTIN-FASTON 250**

Crimp Terminal Housings  
(222)

Quick Disconnects(252)

Customers Also Bought

TE Part #603504-2  
12-10 PRE-INSUL SEALED  
SPLICE

TE Part #180907-1  
FF 250 REC HSG 2P  
NYLON RED

TE Part #151667-4  
FF 375 REC TERMINAL 11-  
10 AWG PBR

TE Part #603504-3  
12-10 PRE-INSUL SEALED  
SPLICE

TE Part #1-826629-5  
15P AMPMODU II STIFT  
LEI

TE Part #1-925366-5  
MOD 4 REC.HSG 1X15P

TE Part #1804039-1  
SDE DIE,RAYCHM 22-10

TE Part #4-1437373-4  
301-09=IDC CABLE,  
INSULATED CO

TE Part #539736-2  
DIE (EDS)

TE Part #62459-1  
MAG-MATE SLOT 27-23  
016 TPBR



## Documents

### Product Drawings

[FF 250 TAB HSG 2P NYLON RED](#)

English

---

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_180908-1\\_AB.2d\\_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_180908-1\\_AB.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_180908-1\\_AB.3d\\_stp.zip](#)

English

---

### Product Specifications

[Application Specification](#)

English

---

### Agency Approvals

[UL Report](#)

English